

Package ‘SSBtools’

January 8, 2024

Type Package

Title Statistics Norway's Miscellaneous Tools

Version 1.5.0

Date 2024-01-08

Depends Matrix

Imports stringr, methods, MASS

Description Functions used by other packages from Statistics Norway are gathered. General data manipulation functions, and functions for hierarchical computations are included (Langsrud, 2020) <[doi:10.13140/RG.2.2.27313.61283](https://doi.org/10.13140/RG.2.2.27313.61283)>. The hierarchy specification functions are useful within statistical disclosure control.

License MIT + file LICENSE

URL <https://github.com/statisticsnorway/SSBtools>

BugReports <https://github.com/statisticsnorway/SSBtools/issues>

RoxygenNote 7.2.3

Encoding UTF-8

Suggests testthat

NeedsCompilation no

Author Øyvind Langsrud [aut, cre],
Daniel Lupp [aut],
Bjørn-Helge Mevik [ctb],
Statistics Norway [cph]

Maintainer Øyvind Langsrud <oyl@ssb.no>

Repository CRAN

Date/Publication 2024-01-08 11:40:12 UTC

R topics documented:

AddLeadingZeros	3
aggregate_multiple_fun	4

As_TsparseMatrix	7
AutoHierarchies	8
AutoSplit	11
CbindIdMatch	12
DataDummyHierarchy	14
DimList2Hierarchy	15
DimList2Hrc	15
DummyApply	16
DummyDuplicated	17
DummyHierarchy	18
dummy_aggregate	20
Extend0	23
Extend0rnd1	24
FactorLevCorr	25
FindCommonCells	27
FindDimLists	28
FindDisclosiveCells	29
FindHierarchies	30
FindTableGroup	31
FormulaSelection	32
FormulaSums	34
GaussIndependent	36
GaussIterationFunction	37
GaussSuppression	38
HierarchicalGroups	41
HierarchicalWildcardGlobbing	42
Hierarchies2ModelMatrix	44
HierarchiesAndFormula2ModelMatrix	47
Hierarchy2Formula	49
HierarchyCompute	51
HierarchyCompute2	54
LSfitNonNeg	56
MakeHierFormula	57
Match	58
matlabColon	59
Matrix2list	60
Mipf	61
ModelMatrix	65
model_aggregate	68
Number	71
NumSingleton	72
quantile_weighted	73
RbindAll	74
Reduce0exact	75
RoundWhole	78
RowGroups	79
SortRows	80
SSBtoolsData	80

<i>AddLeadingZeros</i>	3
Stack	82
UniqueSeq	83
Unstack	84
WildcardGlobbing	85
WildcardGlobbingVector	86
Index	87

AddLeadingZeros *Add leading zeros to numbers while preserving other text*

Description

This function is created to fix problems caused by a serious bug in Excel. Editing csv files in that program causes leading zeros to disappear.

Usage

```
AddLeadingZeros(
  codes,
  places,
  warningText = NULL,
  viaFactor = TRUE,
  nWarning = 6,
  removeLeadingTrailingWhitespace = TRUE
)
```

Arguments

codes	Character vector
places	Number of places for positive numbers. Minus sign is extra
warningText	When non-NULL, warning will be produced
viaFactor	When TRUE, the algorithm uses factor coding internally.
nWarning	Number of elements to be written before ... in warnings.
removeLeadingTrailingWhitespace	Remove leading and trailing whitespace

Value

Character vector

Author(s)

Øyvind Langsrød

Examples

```
AddLeadingZeros(c("1", "ABC", "12345", "23", "-8", "45", "-9", "Agent", "007",
                 "7 James Bond"), 10)
AddLeadingZeros(c("1", "ABC", "12345", "23", "-8", "45", "-9", "Agent", "007",
                 "7 James Bond"), 4)
AddLeadingZeros(c("1", "ABC", "12345", "23", "-8", "45", "-9", "Agent", "007",
                 "7 James Bond"), 4, removeLeadingTrailingWhitespace = FALSE)
AddLeadingZeros(c("1", "ABC", "12345", "23", "-8", "45", "-9", "Agent", "007",
                 "7 James Bond"), 4, warningText = "string changes")
AddLeadingZeros(c("1", "ABC", "12345", "23", "-8", "45", "-9", "Agent", "007",
                 "7 James Bond"), 4, warningText = "", nWarning = 2)
```

aggregate_multiple_fun

Wrapper to aggregate

Description

Wrapper to [aggregate](#) that allows multiple functions and functions of several variables

Usage

```
aggregate_multiple_fun(
  data,
  by,
  vars,
  fun = NULL,
  ind = NULL,
  ...,
  name_sep = "_",
  seve_sep = ":",
  multi_sep = ",",
  forward_dots = FALSE,
  dots2dots = FALSE,
  do_unmatrix = TRUE,
  do_unlist = TRUE,
  inc_progress = FALSE
)
```

Arguments

data	A data frame containing data to be aggregated
by	A data frame defining grouping
vars	A named vector or list of variable names in data. The elements are named by the names of fun. All the pairs of variable names and function names thus define all the result variables to be generated.

- Parameter `vars` will be converted to an internal standard by the function [fix_vars_amf](#). Thus, function names and also output variable names can be coded in different ways. Multiple output variable names can be coded using `multi_sep`. See examples and examples in [fix_vars_amf](#). Indices instead of variable names are allowed.
- Omission of (some) names is possible since names can be omitted for one function (see `fun` below).
- A special possible feature is the combination of a single unnamed variable and all functions named. In this case, all functions are run and output variable names will be identical to the function names.

<code>fun</code>	A named list of functions. These names will be used as suffixes in output variable names. Name can be omitted for one function. A vector of function as strings is also possible. When unnamed, these function names will be used directly. See the examples of fix_fun_amf , which is the function used to convert <code>fun</code> . Without specifying <code>fun</code> , the functions, as strings, are taken from the function names coded in <code>vars</code> .
<code>ind</code>	When non-NULL, a data frame of indices. When NULL, this variable will be generated internally as <code>data.frame(ind = seq_len(nrow(data)))</code> . The parameter is useful for advanced use involving model/dummy matrices. For special use (<code>dummy = FALSE</code> in dummy_aggregate) <code>ind</code> can also be a two-column data frame.
<code>...</code>	Further arguments passed to <code>aggregate</code> and, depending on <code>forward_dots/dots2dots</code> , forwarded to the functions in <code>fun</code> (see details).
<code>name_sep</code>	A character string used when output variable names are generated.
<code>seve_sep</code>	A character string used when output variable names are generated from functions of several variables.
<code>multi_sep</code>	A character string used when multiple output variable names are sent as input.
<code>forward_dots</code>	Logical vector (possibly recycled) for each element of <code>fun</code> that determines whether <code>...</code> should be forwarded (see details).
<code>dots2dots</code>	Logical vector (possibly recycled) specifying the behavior when <code>forward_dots = TRUE</code> (see details).
<code>do_unmatrix</code>	By default (TRUE), the implementation uses unmatrix before returning output. For special use this can be omitted (FALSE).
<code>do_unlist</code>	By default (TRUE), the implementation uses unlist to combine output from multiple functions. For special use this can be omitted (FALSE).
<code>inc_progress</code>	logical, NULL (same as FALSE) or a progress indicator function taking two parameters (<code>i</code> and <code>n</code>). TRUE means the same as inc_default . Note that this feature is implemented in a hacky manner as internal/hidden variables are grabbed from aggregate .

Details

One intention of `aggregate_multiple_fun` is to be a true generalization of `aggregate`. However, when many functions are involved, passing extra parameters can easily lead to errors. Therefore `forward_dots` and `dots2dots` are set to FALSE by default. When `forward_dots = TRUE` and

`dots2dots = FALSE`, parameters will be forwarded, but only parameters that are explicitly defined in the specific `fun` function. For the `sum` function, this means that a possible `na.rm` parameter is forwarded but not others. When `forward_dots = TRUE` and `dots2dots = TRUE`, other parameters will also be forwarded to `fun` functions where `...` is included. For the `sum` function, this means that such extra parameters will, probably erroneously, be included in the summation (see examples).

For the function to work with `dummy_aggregate`, the data is subject to `unlist` before the `fun` functions are called. This does not apply in the special case where `ind` is a two-column data frame. Then, in the case of list data, the `fun` functions have to handle this themselves.

A limitation when default output, when `do_unlist = TRUE`, is that variables in output are forced to have the same class. This is caused by the `unlist` function being run on the output. This means, for example, that all the variables will become numeric when they should have been both integer and numeric.

Value

A data frame

Examples

```
d2 <- SSBtoolsData("d2")
set.seed(12)
d2$y <- round(rnorm(nrow(d2)), 2)
d <- d2[sample.int(nrow(d2), size = 20), ]
aggregate_multiple_fun(
  data = d,
  by = d[c("k_group", "main_income")],
  vars = c("freq", "y", median = "freq", median = "y", e1 = "freq"),
  fun = c(sum, median = median, e1 = function(x) x[1]))
)

# With functions as named strings
aggregate_multiple_fun(
  data = d,
  by = d[c("k_group", "main_income")],
  vars = c(sum = "y", med = "freq", med = "y"),
  fun = c(sum = "sum", med = "median"))
)

# Without specifying functions
# - equivalent to `fun = c("sum", "median")`'
aggregate_multiple_fun(
  data = d,
  by = d[c("k_group", "main_income")],
  vars = c(sum = "y", median = "freq", median = "y"))
)

# The single unnamed variable feature. Also functions as strings.
aggregate_multiple_fun(
  data = d,
  by = d[c("k_group", "main_income")],
  vars = "y",
```

```

    fun = c("sum", "median", "min", "max")
  )

# with multiple outputs (function my_range)
# and with function of two variables (weighted.mean(y, freq))
my_range <- function(x) c(min = min(x), max = max(x))
aggregate_multiple_fun(
  data = d,
  by = d[c("k_group", "main_income")],
  vars = list("freq", "y", ra = "freq", wmean = c("y", "freq")),
  fun = c(sum, ra = my_range, wmean = weighted.mean)
)

# with specified output variable names
my_range <- function(x) c(min = min(x), max = max(x))
aggregate_multiple_fun(
  data = d,
  by = d[c("k_group", "main_income")],
  vars = list("freq", "y",
              `freqmin,freqmax` = list(ra = "freq"),
              yWmean = list(wmean = c("y", "freq"))),
  fun = c(sum, ra = my_range, wmean = weighted.mean)
)

# To illustrate forward_dots and dots2dots
q <- d[1, ]
q$w <- 100 * rnorm(1)
for (dots2dots in c(FALSE, TRUE)) for (forward_dots in c(FALSE, TRUE)) {
  cat("\n=====\n")
  cat("forward_dots =", forward_dots, ", dots2dots =", dots2dots)
  out <- aggregate_multiple_fun(
    data = q, by = q["k_group"],
    vars = c(sum = "freq", round = "w"), fun = c("sum", "round"),
    digits = 3, forward_dots = forward_dots, dots2dots = dots2dots)
  cat("\n")
  print(out)
}
# In last case digits forwarded to sum (as ...)
# and wrongly included in the summation

```

Description

To implement adaption needed after Matrix ver. 1.4-2 since `as(from, "dgTMatrix")` no longer allowed.

Usage

```
As_TsparseMatrix(from, do_drop0 = TRUE)
```

Arguments

from	A matrix
do_drop0	whether to run drop0

Details

This function is made to replace `as(from, "dgTMatrix")` and `as(drop0(from), "dgTMatrix")` in SSBtools and related packages.

Value

A matrix. Virtual class is `TsparseMatrix`. Class `dgTMatrix` expected.

Note

`Matrix:::as.virtual` in development version of package `Matrix` (date 2022-08-13) used to generate code.

Description

Automatic convert list of hierarchies coded in different ways to standardized to-from coding

Usage

```
AutoHierarchies(
  hierarchies,
  data = NULL,
  total = "Total",
  hierarchyVarNames = c(mapsFrom = "mapsFrom", mapsTo = "mapsTo", sign = "sign", level =
    "level"),
  combineHierarchies = TRUE,
  unionComplement = FALSE,
  ...
)
```

Arguments

<code>hierarchies</code>	List of hierarchies
<code>data</code>	Matrix or data frame with data containing codes of relevant variables
<code>total</code>	Within AutoHierarchies: Vector of total codes (possibly recycled) used when running Hrc2DimList or FindDimLists .
<code>hierarchyVarNames</code>	Variable names in the hierarchy tables as in HierarchyFix
<code>combineHierarchies</code>	Whether to combine several hierarchies for same variable into a single hierarchy (see examples).
<code>unionComplement</code>	Logical vector as in Hierarchies2ModelMatrix . The parameter is only in use when hierarchies are combined.
<code>...</code>	Extra unused parameters

Details

Input can be to-from coded hierarchies, hierarchies/dimList as in sdcTable, TauArgus coded hierarchies or formulas. Automatic coding from data is also supported. Output is on a from ready for input to [HierarchyCompute](#). A single string as hierarchy input is assumed to be a total code. Then, the hierarchy is created as a simple hierarchy where all codes in data sum up to this total. For consistency with [HierarchyCompute](#), the codes "rowFactor" and "colFactor" are unchanged. An empty string is recoded to "rowFactor".

A special possibility is to include character vector(s) as unnamed list element(s) of `hierarchies`. Then the elements of the character vector(s) must be variable names within `data`. This will cause hierarchies to be created from selected data columns by running [FindDimLists](#). Total coded can be specified by parameter `total` or by naming the character vector. See examples.

Value

List of hierarchies

Author(s)

Øyvind Langsrud

See Also

[FindHierarchies](#), [DimList2Hierarchy](#), [DimList2Hrc](#), [Hierarchy2Formula](#), [DummyHierarchies](#).

Examples

```
# First, create different types of input
z <- SSBtoolsData("sprt_emp_withEU")
yearFormula <- c("y_14 = 2014", "y_15_16 = y_all - y_14", "y_all = 2014 + 2015 + 2016")
yearHier <- Formula2Hierarchy(yearFormula)
geoDimList <- FindDimLists(z[, c("geo", "eu")], total = "Europe")[[1]]
geoDimList2 <- FindDimLists(z[, c("geo", "eu")])[[1]]
```

```

geoHrc <- DimList2Hrc(geoDimList)
ageHier <- SSBtoolsData("sprt_emp_ageHier")

h1 <- AutoHierarchies(list(age = ageHier, geo = geoDimList, year = yearFormula))
h2 <- AutoHierarchies(list(age = "Y15-64", geo = geoHrc, year = yearHier), data = z,
                      total = "Europe")
h3 <- AutoHierarchies(list(age = "Total", geo = geoDimList2, year = "Total"), data = z)
h4 <- FindHierarchies(z[, c(1, 2, 3, 5)])
h5 <- AutoHierarchies(list(age = "Total", geo = "", year = "colFactor"), data = z)
identical(h1, h2)
identical(h3, h4)

# Print the resulting hierarchies
h1 # = h2
h3 # = h4
h5

FindHierarchies(z[, c("geo", "eu", "age")])

# =====
# Examples illustrating the combineHierarchies parameter
# =====

# First, create data
d <- SSBtoolsData("d2ws")[1:3]
d$isCounty1 <- "NO"
d$isCounty1[d$county == "county-1"] <- "YES"
d

# sdcTable coding showing two tree-shaped hierarchies
dimList <- FindDimLists(d)
dimList

# Two tree-shaped hierarchies can still be seen
# Hierarchies with three and two levels
hA <- AutoHierarchies(dimList, combineHierarchies = FALSE)
hA

# A single hierarchy with only one level
# Contains the information needed to create a dummy matrix
hB <- AutoHierarchies(dimList)
hB

# Dummy matrices from the hierarchies
DummyHierarchies(hA)
DummyHierarchies(hB)

# =====
# Special examples with character vector(s) as unnamed list elements
# =====

```

```

# Same output as FindHierarchies above
AutoHierarchies(list(c("geo", "eu", "age")), data = z)

# Now combined with a named list element
AutoHierarchies(list(year = yearHier, c("geo", "eu", "age")), data = z)

# Total codes by unnamed list element as named character vector
AutoHierarchies(list(year = yearHier, c(Europe = "geo", "eu", All = "age")), data = z)

# Two types of year input. Total codes by using the parameter `total`.
AutoHierarchies(list("year", year = yearHier, c("geo", "eu", "age")), data = z,
               total = c("allYears", "unused", "Tot"))

# Avoid combineHierarchies to see effect of each year input separately
# (even earlier return possible with `combineHierarchies = NA`)
AutoHierarchies(list("year", year = yearHier, c("geo", "eu", "age")), data = z,
               total = c("allYears", "unused", "Tot"), combineHierarchies = FALSE)

```

AutoSplit

Creating variables by splitting the elements of a character vector without needing a split string

Description

Creating variables by splitting the elements of a character vector without needing a split string

Usage

```
AutoSplit(
  s,
  split = NULL,
  border = "_",
  revBorder = FALSE,
  noSplit = FALSE,
  varNames = paste("var", 1:100, sep = ""),
  tryReverse = TRUE
)
```

Arguments

s	The character vector
split	Split string. When NULL (default), automatic splitting without a split string.
border	A split character or an integer (move split) to be used when the exact split position is not unique.
revBorder	When border is integer the split position is moved from the other side.
noSplit	No splitting when TRUE.

<code>varNames</code>	Variable names of the created variables (too many is ok)
<code>tryReverse</code>	When TRUE, the automatic method tries to find more variables by splitting from reversed strings.

Value

A data frame with s as row names.

Author(s)

Øyvind Langsrød

Examples

```
s <- c("A12-3-A-x", "A12-3-B-x", "B12-3-A-x", "B12-3-B-x",
      "A12-3-A-y", "A12-3-B-y", "B12-3-A-y", "B12-3-B-y")
AutoSplit(s)
AutoSplit(s,border="-")
AutoSplit(s,split="-")
AutoSplit(s,border=1)
AutoSplit(s,border=2)
AutoSplit(s,border=2,revBorder=TRUE)
AutoSplit(s,noSplit=TRUE)
AutoSplit(s,varNames=c("A", "B", "C", "D"))
```

CbindIdMatch

Combine several data frames by using id variables to match rows

Description

Combine several data frames by using id variables to match rows

Usage

```
CbindIdMatch(
  ...,
  addName = names(x),
  sep = "_",
  idNames = sapply(x, function(x) names(x)[1]),
  idNames1 = idNames,
  addLast = FALSE
)
```

Arguments

...	Several data frames as several input parameters or a list of data frames
addName	NULL or vector of strings used to name columns according to origin frame
sep	A character string to separate when addName apply
idNames	Names of a id variable within each data frame
idNames1	Names of variables in first data frame that correspond to the id variable within each data frame
addLast	When TRUE addName will be at end

Details

The first data frame is the basis and the other frames will be matched by using id-variables. The default id-variables are the first variable in each frame. Corresponding variables with the same name in first frame is assumed. An id-variable is not needed if the number of rows is one or the same as the first frame. Then the element of idNames can be set to a string with zero length.

Value

A single data frame

Author(s)

Øyvind Langsrød

See Also

[RbindAll](#) (same example data)

Examples

```

zA <- data.frame(idA = 1:10, idB = rep(10 * (1:5), 2), idC = rep(c(100, 200), 5),
                   idC2 = c(100, rep(200, 9)), idC3 = rep(100, 10),
                   idD = 99, x = round(rnorm(10), 3), xA = round(runif(10), 2))
zB <- data.frame(idB = 10 * (1:5), x = round(rnorm(5), 3), xB = round(runif(5), 2))
zC <- data.frame(idC = c(100, 200), x = round(rnorm(2), 3), xC = round(runif(2), 2))
zD <- data.frame(idD = 99, x = round(rnorm(1), 3), xD = round(runif(1), 2))
CbindIdMatch(zA, zB, zC, zD)
CbindIdMatch(a = zA, b = zB, c = zC, d = zD, idNames = c("", "idB", "idC", ""))
CbindIdMatch(a = zA, b = zB, c = zC, d = zD, idNames1 = c("", "idB", "idC2", ""))
CbindIdMatch(a = zA, b = zB, c = zC, d = zD, idNames1 = c("", "idB", "idC3", ""))
CbindIdMatch(zA, zB, zC, zD, addName = c("", "bbb", "ccc", "ddd"), sep = ".", addLast = TRUE)
try(CbindIdMatch(X = zA, Y = zA[, 4:5], Z = zC, idNames = NULL)) # Error
CbindIdMatch(X = zA, Y = zA[, 4:5], Z = zD, idNames = NULL)      # Ok since equal NROW or NROW==1
CbindIdMatch(list(a = zA, b = zB, c = zC, d = zD))               # List is alternative input

```

DataDummyHierarchy	<i>Create a (signed) dummy matrix for hierarcical mapping of codes in data</i>
--------------------	--

Description

Create a (signed) dummy matrix for hierarcical mapping of codes in data

Usage

```
DataDummyHierarchy(dataVector, dummyHierarchy)
DataDummyHierarchies(data, dummyHierarchies, colNamesFromData = FALSE)
```

Arguments

dataVector	A vector of codes in data
dummyHierarchy	Output from DummyHierarchy
data	data
dummyHierarchies	Output from DummyHierarchies
colNamesFromData	Column names from data when TRUE

Details

`DataDummyHierarchies` is a user-friendly wrapper for the original function `DataDummyHierarchy`. When `colNamesFromData` is `FALSE` (default), this function returns `mapply(DataDummyHierarchy, data[names(dummyHierarchies)], dummyHierarchies)`.

Value

A sparse matrix. Column names are taken from `dataVector` (if non-NULL) and row names are taken from the row names of `dummyHierarchy`.

Author(s)

Øyvind Langsrud

Examples

```
z <- SSBtoolsData("sppt_emp_withEU")[1:9, ]
hi <- FindHierarchies(z[, c("geo", "eu", "age", "year")])
dhi <- DummyHierarchies(hi, inputInOutput = TRUE)
DataDummyHierarchies(z, dhi, colNamesFromData = TRUE)
```

DimList2Hierarchy**DimList2Hierarchy**

Description

From hierarchy/dimList as in sdcTable to to-from coded hierarchy

Usage

```
DimList2Hierarchy(x)
```

Arguments

x An element of a dimList as in sdcTable

Value

Data frame with to-from coded hierarchy

Author(s)

Øyvind Langsrød

See Also

[DimList2Hrc](#), [Hierarchy2Formula](#), [AutoHierarchies](#).

Examples

```
# First generate a dimList element
x <- FindDimLists(SSBtoolsData("sppt_emp_withEU")[, c("geo", "eu")], , total = "Europe")[[1]]
x

DimList2Hierarchy(x)
```

DimList2Hrc**DimList2Hrc/Hrc2DimList**

Description

Conversion between hierarchies/dimList as in sdcTable and TauArgus coded hierarchies

Usage

```
DimList2Hrc(dimList)
```

```
Hrc2DimList(hrc, total = "Total")
```

Arguments

<code>dimList</code>	List of data frames according to the specifications in <code>sdcTable</code>
<code>hrc</code>	List of character vectors
<code>total</code>	String used to name totals.

Value

See Arguments

Author(s)

Øyvind Langsrød

See Also

[DimList2Hierarchy](#), [Hierarchy2Formula](#), [AutoHierarchies](#).

Examples

```
# First generate dimList
dimList <- FindDimLists(SSBtoolsData("sprt_emp_withEU")[, c("geo", "eu", "age")])
dimList
hrc <- DimList2Hrc(dimList)
hrc
dimList2 <- Hrc2DimList(hrc)
identical(dimList, dimList2)
```

DummyApply

Apply a function to subsets defined by a dummy matrix

Description

For each column, `i`, of the matrix `x` of zeros and ones, the output value is equivalent to `FUN(y[x[, i] != 0])`.

Usage

```
DummyApply(x, y, FUN = sum, simplify = TRUE)
```

Arguments

<code>x</code>	A (sparse) dummy matrix
<code>y</code>	Vector of input values
<code>FUN</code>	A function
<code>simplify</code>	Parameter to aggregate . When FALSE, list output is ensured.

Details

With a dummy x and $\text{FUN} = \text{sum}$, output is equivalent to $z = t(x) \%*\% y$.

Value

Vector of output values or a matrix when multiple outputs from FUN (see examples). List output is also possible (ensured when $\text{simplify} = \text{FALSE}$).

Examples

```

z <- SSBtoolsData("sprt_emp_withEU")
z$age[z$age == "Y15-29"] <- "young"
z$age[z$age == "Y30-64"] <- "old"

a <- ModelMatrix(z, formula = ~age + geo, crossTable = TRUE)

cbind(as.data.frame(a$crossTable),
      sum1 = (t(a$modelMatrix) \%*\% z$ths_per)[,1],
      sum2 = DummyApply(a$modelMatrix, z$ths_per, sum),
      max = DummyApply(a$modelMatrix, z$ths_per, max))

DummyApply(a$modelMatrix, z$ths_per, range)
DummyApply(a$modelMatrix, z$ths_per, range, simplify = FALSE)

a$modelMatrix[, c(3, 5)] <- 0 # Introduce two empty columns.
DummyApply(a$modelMatrix, z$ths_per, function(x){
  c(min = min(x),
    max = max(x),
    mean = mean(x),
    median = median(x),
    n = length(x))})

DummyApply(a$modelMatrix, z$ths_per, function(x) x, simplify = FALSE)

```

Description

The algorithm is based on $\text{crossprod}(x)$ or $\text{crossprod}(x, u)$ where u is a vector of random numbers

Usage

```
DummyDuplicated(x, idx = FALSE, rows = FALSE, rnd = FALSE)
```

Arguments

x	A matrix
idx	Indices returned when TRUE
rows	Duplicated rows instead when TRUE
rnd	Algorithm based on cross product with random numbers when TRUE (dummy matrix not required)

Details

The efficiency of the default algorithm depends on the sparsity of `crossprod(x)`. The random values are generated locally within the function without affecting the random value stream in R.

Value

Logical vectors specifying duplicated columns or vector of indices (first match)

Author(s)

Øyvind Langsrød

Examples

```

x <- cbind(1, rbind(diag(2), diag(2)), diag(4)[, 1:2])
z <- Matrix(x[c(1:4, 2:3), c(1, 2, 1:5, 5, 2)])

DummyDuplicated(z)
which(DummyDuplicated(z, rows = TRUE))

# Four ways to obtain the same result
DummyDuplicated(z, idx = TRUE)
DummyDuplicated(z, idx = TRUE, rnd = TRUE)
DummyDuplicated(t(z), idx = TRUE, rows = TRUE)
DummyDuplicated(t(z), idx = TRUE, rows = TRUE, rnd = TRUE)

# The unique values in four ways
which(!DummyDuplicated(z), )
which(!DummyDuplicated(z, rnd = TRUE))
which(!DummyDuplicated(t(z), rows = TRUE))
which(!DummyDuplicated(t(z), rows = TRUE, rnd = TRUE))

```

Description

A matrix for mapping input codes (columns) to output codes (rows) are created. The elements of the matrix specify how columns contribute to rows.

Usage

```
DummyHierarchy(
  mapsFrom,
  mapsTo,
  sign,
  level,
  mapsInput = NULL,
  inputInOutput = FALSE,
  keepCodes = mapsFrom[integer(0)],
  unionComplement = FALSE,
  reOrder = FALSE
)

DummyHierarchies(
  hierarchies,
  data = NULL,
  inputInOutput = FALSE,
  unionComplement = FALSE,
  reOrder = FALSE
)
```

Arguments

<code>mapsFrom</code>	Character vector from hierarchy table
<code>mapsTo</code>	Character vector from hierarchy table
<code>sign</code>	Numeric vector of either 1 or -1 from hierarchy table
<code>level</code>	Numeric vector from hierarchy table
<code>mapsInput</code>	All codes in <code>mapsFrom</code> not in <code>mapsTo</code> (created automatically when <code>NULL</code>) and possibly other codes in input data.
<code>inputInOutput</code>	When <code>FALSE</code> all output rows represent codes in <code>mapsTo</code>
<code>keepCodes</code>	To prevent some codes to be removed when <code>inputInOutput = FALSE</code>
<code>unionComplement</code>	When <code>TRUE</code> , <code>sign</code> means union and complement instead of addition or subtraction (see note)
<code>reOrder</code>	When <code>TRUE</code> (<code>FALSE</code> is default) output codes are ordered differently, more similar to a usual model matrix ordering.
<code>hierarchies</code>	List of hierarchies
<code>data</code>	data

Details

`DummyHierarchies` is a user-friendly wrapper for the original function `DummyHierarchy`. Then, the logical input parameters are vectors (possibly recycled). `mapsInput` and `keepCodes` can be supplied as attributes. `mapsInput` will be generated when `data` is non-`NULL`.

Value

A sparse matrix with row and column names

Note

With `unionComplement = FALSE` (default), the sign of each mapping specifies the contribution as addition or subtraction. Thus, values above one and negative values in output can occur. With `unionComplement = TRUE`, positive is treated as union and negative as complement. Then 0 and 1 are the only possible elements in the output matrix.

Author(s)

Øyvind Langsrud

Examples

```
# A hierarchy table
h <- SSBtoolsData("FIFA2018ABCD")

DummyHierarchy(h$mapsFrom, h$mapsTo, h$sign, h$level)
DummyHierarchy(h$mapsFrom, h$mapsTo, h$sign, h$level, inputInOutput = TRUE)
DummyHierarchy(h$mapsFrom, h$mapsTo, h$sign, h$level, keepCodes = c("Portugal", "Spain"))

# Extend the hierarchy table to illustrate the effect of unionComplement
h2 <- rbind(data.frame(mapsFrom = c("EU", "Schengen"), mapsTo = "EUandSchengen",
                        sign = 1, level = 3), h)

DummyHierarchy(h2$mapsFrom, h2$mapsTo, h2$sign, h2$level)
DummyHierarchy(h2$mapsFrom, h2$mapsTo, h2$sign, h2$level, unionComplement = TRUE)

# Extend mapsInput - leading to zero columns.
DummyHierarchy(h$mapsFrom, h$mapsTo, h$sign, h$level,
               mapsInput = c(h$mapsFrom[!(h$mapsFrom %in% h$mapsTo)], "Norway", "Finland"))

# DummyHierarchies
DummyHierarchies(FindHierarchies(SSBtoolsData("sppt_emp_withEU")[, c("geo", "eu", "age")]),
                  inputInOutput = c(FALSE, TRUE))
```

dummy_aggregate

aggregate_multiple_fun using a dummy matrix

Description

Wrapper to `aggregate_multiple_fun` that uses a dummy matrix instead of the `by` parameter. Functionality for non-dummy matrices as well.

Usage

```
dummy_aggregate(
  data,
  x,
  vars,
  fun = NULL,
  dummy = TRUE,
  when_non_dummy = warning,
  keep_names = TRUE,
  ...
)
```

Arguments

<code>data</code>	A data frame containing data to be aggregated
<code>x</code>	A (sparse) dummy matrix
<code>vars</code>	A named vector or list of variable names in <code>data</code> . The elements are named by the names of <code>fun</code> . All the pairs of variable names and function names thus define all the result variables to be generated. <ul style="list-style-type: none"> • Parameter <code>vars</code> will be converted to an internal standard by the function fix_vars_amf. Thus, function names and also output variable names can be coded in different ways. Multiple output variable names can be coded using <code>multi_sep</code>. See examples and examples in fix_vars_amf. Indices instead of variable names are allowed. • Omission of (some) names is possible since names can be omitted for one function (see <code>fun</code> below). • A special possible feature is the combination of a single unnamed variable and all functions named. In this case, all functions are run and output variable names will be identical to the function names.
<code>fun</code>	A named list of functions. These names will be used as suffixes in output variable names. Name can be omitted for one function. A vector of function as strings is also possible. When unnamed, these function names will be used directly. See the examples of fix_fun_amf , which is the function used to convert <code>fun</code> . Without specifying <code>fun</code> , the functions, as strings, are taken from the function names coded in <code>vars</code> .
<code>dummy</code>	When <code>TRUE</code> , only 0s and 1s are assumed in <code>x</code> . When <code>FALSE</code> , non-0s in <code>x</code> are passed as an additional first input parameter to the <code>fun</code> functions. Thus, the same result as matrix multiplication is achieved with <code>fun = function(x, y) sum(x * y)</code> . In this case, the data will not be subjected to <code>unlist</code> . See aggregate_multiple_fun .
<code>when_non_dummy</code>	Function to be called when <code>dummy</code> is <code>TRUE</code> and when <code>x</code> is non-dummy. Supply <code>NULL</code> to do nothing.
<code>keep_names</code>	When <code>TRUE</code> , output row names are inherited from column names in <code>x</code> .
<code>...</code>	Further arguments passed to <code>aggregate_multiple_fun</code>

Details

Internally this function make use of the `ind` parameter to [aggregate_multiple_fun](#)

Value

data frame

See Also

[aggregate_multiple_fun](#)

Examples

```
# Code that generates output similar to the
# last example in aggregate_multiple_fun

d2 <- SSBtoolsData("d2")
set.seed(12)
d2$y <- round(rnorm(nrow(d2)), 2)
d <- d2[sample.int(nrow(d2), size = 20), ]

x <- ModelMatrix(d, formula = ~main_income:k_group - 1)

# with specified output variable names
my_range <- function(x) c(min = min(x), max = max(x))
dummy_aggregate(
  data = d,
  x = x,
  vars = list("freq", "y",
              `freqmin,freqmax` = list(ra = "freq"),
              yWmean = list(wmean = c("y", "freq"))),
  fun = c(sum, ra = my_range, wmean = weighted.mean))

# Make a non-dummy matrix
x2 <- x
x2[17, 2:5] <- c(-1, 3, 0, 10)
x2[, 4] <- 0

# Now warning
# Result is not same as t(x2) %*% d[["freq"]]
dummy_aggregate(data = d, x = x2, vars = "freq", fun = sum)

# Now same as t(x2) %*% d[["freq"]]
dummy_aggregate(data = d, x = x2,
                 vars = "freq", dummy = FALSE,
                 fun = function(x, y) sum(x * y))

# Same as t(x2) %*% d[["freq"]] + t(x2^2) %*% d[["y"]]
dummy_aggregate(data = d, x = x2,
                 vars = list(c("freq", "y")), dummy = FALSE,
                 fun = function(x, y1, y2) {sum(x * y1) + sum(x^2 * y2)})
```

Extend0	<i>Add zero frequency rows</i>
---------	--------------------------------

Description

Microdata or tabular frequency data is extended to contain all combinations of unique rows of (hierarchical) groups of dimensional variables. Extra variables are extended by NA's or 0's.

Usage

```
Extend0(
  data,
  freqName = "freq",
  hierarchical = TRUE,
  varGroups = NULL,
  dimVar = NULL,
  extraVar = TRUE
)
```

Arguments

data	data frame
freqName	Name of (existing) frequency variable
hierarchical	Hierarchical variables treated automatically when TRUE
varGroups	List of variable groups, possibly with data (see details and examples).
dimVar	The dimensional variables
extraVar	Extra variables as variable names, TRUE (all remaining) or FALSE (none).

Details

With no frequency variable in input (microdata), the frequency variable in output consists of ones and zeros. By default, all variables, except the frequencies, are considered as dimensional variables. By default, the grouping of dimensional variables is based on hierarchical relationships (`hierarchical = TRUE`). With `varGroups = NULL` and `hierarchical = FALSE`, each dimensional variable forms a separate group (as `as.list(dimVar)`). Parameter `extraVar` can be specified as variable names. `TRUE` means all remaining variables and `FALSE` no variables.

When the contents of `varGroups[[i]]` is variable names, the data frame `unique(data[varGroups[[i]]])` will be made as a building block within the function. A possibility is to supply such a data frame instead of variable names. Then, the building block will be `unique(varGroups[[i]])`. Names and data frames can be mixed.

Value

Extended data frame

See Also

Advanced possibilities by varGroups-attribute. See [Extend0rnd1](#).

Examples

```

z <- SSBtoolsData("sprt_emp_withEU")[c(1, 4:6, 8, 11:15), ]
z$age[z$age == "Y15-29"] <- "young"
z$age[z$age == "Y30-64"] <- "old"

Extend0(z[, -4])
Extend0(z, hierarchical = FALSE, dimVar = c("age", "geo", "eu"))
Extend0(z, hierarchical = FALSE, dimVar = c("age", "geo", "eu"), extraVar = "year")
Extend0(z, hierarchical = FALSE, dimVar = c("age", "geo", "eu"), extraVar = FALSE)
Extend0(z, varGroups = list(c("age", "geo", "year"), "eu"))
Extend0(MakeFreq(z[c(1, 1, 1, 2, 2, 3:10), -4]))
Extend0(z, "ths_per")

# varGroups with data frames (same result as with names above)
Extend0(z, varGroups = list(z[c("age", "geo", "year")], z["eu"]))

# varGroups with both names and data frame
Extend0(z, varGroups = list(c("year", "geo", "eu"), data.frame(age = c("middle", "old"))))
```

[Extend0rnd1](#)

varGroups-attribute to Extend0, Example functions

Description

Setting `attr(varGroups, "FunctionExtend0")` to a function makes `Extend0` behave differently

Usage

```

Extend0rnd1(data, varGroups, k = 1, rndSeed = 123)

Extend0rnd2(...)

Extend0rnd1b(...)
```

Arguments

<code>data</code>	data.frame within Extend0
<code>varGroups</code>	argument to Extend0
<code>k</code>	Number of rows generated is approx. <code>k*nrow(data)</code>
<code>rndSeed</code>	Internal random seed to be used
<code>...</code>	Extra unused parameters

Details

The point is to create a function that takes `data` and `varGroups` as input and that returns a data frame with a limited number of combinations of the elements in `varGroups`. The example function here is limited to two `varGroups` elements.

Value

a data frame

Examples

```

z <- SSBtoolsData("sppt_emp_withEU")[c(1, 5, 8, 14), ]
z$age[z$age == "Y15-29"] <- "young"
z$age[z$age == "Y30-64"] <- "old"

varGroups <- list(c("year", "geo", "eu"), data.frame(age = c("middle", "old")))
Extend0(z, varGroups = varGroups)

attr(varGroups, "FunctionExtend0") <- Extend0rnd1
Extend0(z, varGroups = varGroups)

attr(varGroups, "FunctionExtend0") <- Extend0rnd1b
Extend0(z, varGroups = varGroups)

attr(varGroups, "FunctionExtend0") <- Extend0rnd2
Extend0(z, varGroups = varGroups)

# To see what's going on internally. Data used only via nrow
varGroups <- list(data.frame(ab = rep(c("a", "b"), each = 4), abcd = c("a", "b", "c", "d")),
                    data.frame(AB = rep(c("A", "B"), each = 3), ABC = c("A", "B", "C")))
a <- Extend0rnd1(data.frame(1:5), varGroups)
table(a[[1]], a[[2]])
table(a[[3]], a[[4]])
a <- Extend0rnd1b(data.frame(1:5), varGroups)
table(a[[1]], a[[2]])
table(a[[3]], a[[4]])
a <- Extend0rnd2(data.frame(1:5), varGroups[2:1])
table(a[[1]], a[[2]])
table(a[[3]], a[[4]])
a <- Extend0rnd1(data.frame(1:100), varGroups)
table(a[[1]], a[[2]]) # Maybe smaller numbers than expected since duplicates were removed
table(a[[3]], a[[4]])

```

Description

A sort of correlation matrix useful to detect (hierarchical) relationships between the levels of factor variables.

Usage

```
FactorLevCorr(x)
```

Arguments

x	Input matrix or data frame containing the variables
---	---

Value

Output is a sort of correlation matrix.

Here we refer to n_i as the number of present levels of variable i (the number of unique elements) and we refer to m_{ij} as the number of present levels obtained by crossing variable i and variable j (the number unique rows of $x[,c(i,j)]$).

The diagonal elements of the output matrix contains the number of present levels of each variable ($=n_i$).

The absolute values of off-diagonal elements:

0	when $m_{ij} = n_i * n_j$
1	when $m_{ij} = \max(n_i, n_j)$
Other values	Computed as $(n_i * n_j - m_{ij}) / (n_i * n_j - \max(n_i, n_j))$

So 0 means that all possible level combinations exist in the data and 1 means that the two variables are hierarchically related.

The sign of off-diagonal elements:

positive	when $n_i < n_j$
negative	when $n_i > n_j$

In cases where $n_i = n_j$ elements will be positive above the diagonal and negative below.

Author(s)

Øyvind Langsrød

Examples

```
x <- rep(c("A", "B", "C"), 3)
y <- rep(c(11, 22, 11), 3)
z <- c(1, 1, 1, 2, 2, 2, 3, 3, 3)
zy <- paste(z, y, sep="")
m <- cbind(x, y, z, zy)
FactorLevCorr(m)
```

FindCommonCells	<i>Finding commonCells</i>
-----------------	----------------------------

Description

Finding lists defining common cells as needed for the input parameter commonCells to the function protectLinkedTables in package sdcTable. The function handles two tables based on the same main variables but possibly different aggregating variables.

Usage

```
FindCommonCells(dimList1, dimList2)
```

Arguments

dimList1	As input parameter dimList to the function makeProblem in package sdcTable.
dimList2	Another dimList with the same names and using the same level names.

Value

Output is a list according to the specifications in sdcTable.

Author(s)

Øyvind Langsrød

Examples

```
x <- rep(c('A', 'B', 'C'), 3)
y <- rep(c(11, 22, 11), 3)
z <- c(1, 1, 1, 2, 2, 2, 3, 3, 3)
zy <- paste(z, y, sep = '')
m <- cbind(x, y, z, zy)
fg <- FindTableGroup(m, findLinked = TRUE)
dimLists <- FindDimLists(m, fg$groupVarInd)
# Using table1 and table2 in this example cause error,
# but in other cases this may work well
try(FindCommonCells(dimLists[fg$table$table1], dimLists[fg$table$table2]))
FindCommonCells(dimLists[c(1, 2)], dimLists[c(1, 3)])
```

FindDimLists*Finding dimList***Description**

Finding lists of level-hierarchy as needed for the input parameter dimList to the function makeProblem in package sdcTable

Usage

```
FindDimLists(
  x,
  groupVarInd = HierarchicalGroups(x = x),
  addName = FALSE,
  sep = ".",
  xReturn = FALSE,
  total = "Total"
)
```

Arguments

<code>x</code>	Matrix or data frame containing the variables (micro data or cell counts data).
<code>groupVarInd</code>	List of vectors of indices defining the hierarchical variable groups.
<code>addName</code>	When TRUE the variable name is added to the level names, except for variables with most levels.
<code>sep</code>	A character string to separate when addName apply.
<code>xReturn</code>	When TRUE x is also in output, possibly changed according to addName.
<code>total</code>	String used to name totals. A vector of length ncol(x) is also possible (see examples).

Value

Output is a list according to the specifications in sdcTable. When xReturn is TRUE output has an extra list level and x is the first element.

Author(s)

Øyvind Langsrød

Examples

```
dataset <- SSBtoolsData("example1")
FindDimLists(dataset[1:2])
FindDimLists(dataset[2:3])
FindDimLists(dataset[1:4])
```

```

FindDimLists(SSBtoolsData("magnitude1")[1:4],
             total = c("TOTAL", "unused1", "Europe", "unused2"))

x <- rep(c('A', 'B', 'C'), 3)
y <- rep(c(11, 22, 11), 3)
z <- c(1, 1, 1, 2, 2, 2, 3, 3, 3)
zy <- paste(z, y, sep = '')
m <- cbind(x, y, z, zy)
FindDimLists(m)
FindDimLists(m, total = paste0("A", 1:4))

```

FindDisclosiveCells *Find directly disclosive cells*

Description

Function for determining which cells in a frequency table can lead to direct disclosure of an identifiable individual, assuming an attacker has the background knowledge to place themselves (or a coalition) in the table.

Usage

```

FindDisclosiveCells(
  data,
  freq,
  crossTable,
  primaryDims = names(crossTable),
  unknowns = rep(NA, length(primaryDims)),
  total = rep("Total", length(primaryDims)),
  unknown.threshold = 0,
  coalition = 1,
  suppressSmallCells = FALSE,
  ...
)

```

Arguments

<code>data</code>	the data set
<code>freq</code>	vector containing frequencies
<code>crossTable</code>	cross table of key variables produced by ModelMatrix in parent function
<code>primaryDims</code>	dimensions to be considered for direct disclosure.
<code>unknowns</code>	vector of unknown values for each of the primary dimensions. If a primary dimension does not contain unknown values, NA should be passed.
<code>total</code>	string name for marginal values

```

unknown.threshold
    numeric for specifying a percentage for calculating safety of cells. A cell is
    "safe" in a row if the number of unknowns exceeds unknown.threshold percent
    of the row total.

coalition      maximum number of units in a possible coalition, default 1
suppressSmallCells
    logical variable which determines whether small cells (<= coalition) or large
    cells should be suppressed. Default FALSE.

...
    parameters from main suppression method

```

Details

This function does not work on data containing hierarchical variables.

Value

list with two named elements, the first (\$primary) being a logical vector marking directly disclosive cells, the second (\$numExtra) a data.frame containing information regarding the dimensions in which the cells are directly disclosive.

Examples

```

extable <- data.frame(v1 = rep(c('a', 'b', 'c'), times = 4),
                      v2 = c('i','i', 'i','h','h','h','i','i','i','h','h','h'),
                      v3 = c('y', 'y', 'y', 'y', 'y', 'y', 'y','z','z','z', 'z','z','z'),
                      freq = c(0,0,5,0,2,3,1,0,3,1,1,2))
ex_freq <- c(18,10,8,9,5,4,9,5,4,2,0,2,1,0,1,1,0,1,3,2,1,3,2,1,0,0,0,13,8,5,
            5,3,2,8,5,3)
cross <- ModelMatrix(extable,
                      dimVar = 1:3,
                      crossTable = TRUE)$crossTable

FindDisclosiveCells(extable, ex_freq, cross)

```

Description

[FindDimLists](#) and [AutoHierarchies](#) wrapped into a single function.

Usage

```
FindHierarchies(data, total = "Total")
```

Arguments

- `data` Matrix or data frame containing the variables (micro data or cell counts data).
`total` String used to name totals. A vector of length `ncol(data)` is also possible (see examples).

Value

List of hierarchies

Author(s)

Øyvind Langsrud

Examples

```
dataset <- SSBtoolsData("example1")
FindHierarchies(dataset[1:2])
FindHierarchies(dataset[2:3])
FindHierarchies(dataset[1:4])

FindHierarchies(SSBtoolsData("magnitude1")[1:4],
               total = c("TOTAL", "unused1", "Europe", "unused2"))

x <- rep(c("A", "B", "C"), 3)
y <- rep(c(11, 22, 11), 3)
z <- c(1, 1, 1, 2, 2, 2, 3, 3, 3)
zy <- paste(z, y, sep = "")
m <- cbind(x, y, z, zy)
FindHierarchies(m)
FindHierarchies(m, total = paste0("A", 1:4))
```

Description

A single table or two linked tables are found

Usage

```
FindTableGroup(
  x = NULL,
  findLinked = FALSE,
  mainName = TRUE,
  fCorr = FactorLevCorr(x),
  CheckHandling = warning
)
```

Arguments

x	Matrix or data frame containing the variables
findLinked	When TRUE, two linked tables can be in output
mainName	When TRUE the groupVarInd ouput is named according to first variable in group.
fCorr	When non-null x is not needed as input.
CheckHandling	Function (warning or stop) to be used in problematic situations.

Value

Output is a list with items

groupVarInd	List defining the hierarchical variable groups. First variable has most levels.
table	List containing one or two tables. These tables are coded as indices referring to elements of groupVarInd.

Author(s)

Øyvind Langsrød

Examples

```
x <- rep(c('A','B','C'),3)
y <- rep(c(11,22,11),3)
z <- c(1,1,1,2,2,2,3,3,3)
zy <- paste(z,y,sep='')
m <- cbind(x,y,z,zy)
FindTableGroup(m)
FindTableGroup(m,findLinked=TRUE)
```

Description

For use with output from [ModelMatrix](#) or data frames derived from such output.

Usage

```
FormulaSelection(x, formula, intercept = NA)

formula_selection(x, formula, intercept = NA)
```

Arguments

x	Model matrix or a data frame
formula	Formula representing the limitation or character string(s) to be converted to a formula (see details)
intercept	Parameter that specifies whether a possible intercept term (overall total) should be included in the output. Default is TRUE when a formula is input. Otherwise, see details.

Details

The selection is based on startCol or startRow attribute in input x.

With **formula as character**:

- ~ is included: Input is converted by as.formula and default intercept is TRUE.
- ~ is not included: Internally, input data is converted to a formula by adding ~ and possibly +'s when the length is >1. Default intercept is FALSE unless "1" or "(Intercept)" (is changed internally to "1") is included.

Value

Limited model matrix or a data frame

Note

formula_selection and FormulaSelection are identical

Examples

```

z <- SSBtoolsData("sppt_emp_withEU")
z$age[z$age == "Y15-29"] <- "young"
z$age[z$age == "Y30-64"] <- "old"

x <- ModelMatrix(z, formula = ~age * year)

FormulaSelection(x, "age")
FormulaSelection(x, ~year)
FormulaSelection(x, ~year:age)

# x1, x2, x3, x4 and x5 are identical
x1 <- FormulaSelection(x, ~age)
x2 <- FormulaSelection(x, ~age)
x3 <- FormulaSelection(x, "age", intercept = TRUE)
x4 <- FormulaSelection(x, c("1", "age"))
x5 <- FormulaSelection(x, c("(Intercept)", "age"))

a <- ModelMatrix(z, formula = ~age * geo + year, crossTable = TRUE)
b <- cbind(as.data.frame(a$crossTable),
           sum = (t(a$modelMatrix) %*% z$ths_per)[, 1],
           max = DummyApply(a$modelMatrix,

```

```

z$ths_per, max))
rownames(b) <- NULL
attr(b, "startRow") <- attr(a$modelMatrix, "startCol", exact = TRUE)

FormulaSelection(b, ~geo * age)
FormulaSelection(b, "age:geo")
FormulaSelection(b, ~year - 1)

```

FormulaSums

Sums (aggregates) and/or sparse model matrix with possible cross table

Description

By default this function return sums if the formula contains a response part and a model matrix otherwise

Usage

```

FormulaSums(
  data,
  formula,
  makeNames = TRUE,
  crossTable = FALSE,
  total = "Total",
  printInc = FALSE,
  dropResponse = FALSE,
  makeModelMatrix = NULL,
  sep = "-",
  sepCross = ":",
  avoidHierarchical = FALSE,
  includeEmpty = FALSE,
  ...
)

Formula2ModelMatrix(data, formula, dropResponse = TRUE, ...)

```

Arguments

data	data frame
formula	A model formula
makeNames	Column/row names made when TRUE
crossTable	Cross table in output when TRUE
total	String used to name totals
printInc	Printing "..." to console when TRUE
dropResponse	When TRUE response part of formula ignored.

```

makeModelMatrix           Make model matrix when TRUE. NULL means automatic.
sep                      String to separate when creating column names
sepCross                 String to separate when creating column names involving crossing
avoidHierarchical         Whether to avoid treating of hierarchical variables. Instead of logical, variables
                           can be specified.
includeEmpty              When TRUE, empty columns of the model matrix (only zeros) are included.
                           This is not implemented when a response term is included in the formula and
                           dropResponse = FALSE (error will be produced).
...
                           Further arguments to be passed to FormulaSums

```

Details

The model matrix is constructed by calling fac2sparse() repeatedly. The sums are computed by calling aggregate() repeatedly. Hierarchical variables handled when constructing cross table. Column names constructed from the cross table. The returned model matrix includes the attribute `startCol` (see last example line).

Value

A matrix of sums, a sparse model matrix or a list of two or three elements (model matrix and cross table and sums when relevant).

Author(s)

Øyvind Langsrød

See Also

[ModelMatrix](#)

Examples

```

x <- SSBtoolsData("sprt_emp_withEU")

FormulaSums(x, ths_per ~ year*geo + year*eu)
FormulaSums(x, ~ year*age*eu)
FormulaSums(x, ths_per ~ year*age*geo + year*age*eu, crossTable = TRUE, makeModelMatrix = TRUE)
FormulaSums(x, ths_per ~ year:age:geo -1)
m <- Formula2ModelMatrix(x, ~ year*geo + year*eu)
print(m[1:3, ], col.names = TRUE)
attr(m, "startCol")

```

GaussIndependent*Linearly independent rows and columns by Gaussian elimination***Description**

The function is written primarily for large sparse matrices with integers and even more correctly it is primarily written for dummy matrices (0s and 1s in input matrix).

Usage

```
GaussIndependent(
  x,
  printInc = FALSE,
  tolGauss = (.Machine$double.eps)^(1/2),
  testMaxInt = 0,
  allNumeric = FALSE
)
GaussRank(x, printInc = FALSE)
```

Arguments

<code>x</code>	A (sparse) matrix
<code>printInc</code>	Printing "..." to console when TRUE
<code>tolGauss</code>	A tolerance parameter for sparse Gaussian elimination and linear dependency. This parameter is used only in cases where integer calculation cannot be used.
<code>testMaxInt</code>	Parameter for testing: The Integer overflow situation will be forced when test-MaxInt is exceeded
<code>allNumeric</code>	Parameter for testing: All calculations use numeric algorithm (as integer overflow) when TRUE

Details

`GaussRank` returns the rank

Value

List of logical vectors specifying independent rows and columns

Note

The main algorithm is based on integers and exact calculations. When integers cannot be used (because of input or overflow), the algorithm switches. With `printInc = TRUE` as a parameter, change to ----- when switching to numeric algorithm. With numeric algorithm, a kind of tolerance for linear dependency is included. This tolerance is designed having in mind that the input matrix is a dummy matrix.

Examples

```
x <- ModelMatrix(SSBtoolsData("z2"), formula = ~fylke + kostragr * hovedint - 1)

GaussIndependent(x)
GaussRank(x)
GaussRank(t(x))

## Not run:
# For comparison, qr-based rank may not work
rankMatrix(x, method = "qr")

# Dense qr works
qr(as.matrix(x))$rank

## End(Not run)
```

GaussIterationFunction

An iFunction argument to GaussSuppression

Description

Use this function as iFunction or write your own using the same seven first parameters and also using

Usage

```
GaussIterationFunction(i, I, j, J, true, false, na, filename = NULL, ...)
```

Arguments

i	Number of candidates processed (columns of x)
I	Total number of candidates to be processed (columns of x)
j	Number of eliminated dimensions (rows of x)
J	Total number of dimensions (rows of x)
true	Candidates decided to be suppressed
false	Candidates decided to be not suppressed
na	Candidates not decided
filename	When non-NULL, the above arguments will be saved to this file. Note that GaussSuppression passes this parameter via
...	Extra parameters

Details

The number of candidates decided (true and false) may differ from the number of candidates processed (i) due to parameter removeDuplicated and because the decision for some unprocessed candidates can be found due to empty columns.

Value

NULL

GaussSuppression

Secondary suppression by Gaussian elimination

Description

Sequentially the secondary suppression candidates (columns in x) are used to reduce the x-matrix by Gaussian elimination. Candidates who completely eliminate one or more primary suppressed cells (columns in x) are omitted and made secondary suppressed. This ensures that the primary suppressed cells do not depend linearly on the non-suppressed cells. How to order the input candidates is an important choice. The singleton problem and the related problem of zeros are also handled.

Usage

```
GaussSuppression(
  x,
  candidates = 1:ncol(x),
  primary = NULL,
  forced = NULL,
  hidden = NULL,
  singleton = rep(FALSE, nrow(x)),
  singletonMethod = "anySum",
  printInc = TRUE,
  tolGauss = (.Machine$double.eps)^(1/2),
  whenEmptySuppressed = warning,
  whenEmptyUnsuppressed = message,
  whenPrimaryForced = warning,
  removeDuplicated = TRUE,
  iFunction = GaussIterationFunction,
  iWait = Inf,
  xExtraPrimary = NULL,
  unsafeAsNegative = FALSE,
  ...
)
```

Arguments

<code>x</code>	Matrix that relates cells to be published or suppressed to inner cells. <code>yPublish = crossprod(x,yInner)</code>
<code>candidates</code>	Indices of candidates for secondary suppression
<code>primary</code>	Indices of primary suppressed cells
<code>forced</code>	Indices forced to be not suppressed. <code>forced</code> has precedence over <code>primary</code> . See <code>whenPrimaryForced</code> below.
<code>hidden</code>	Indices to be removed from the above candidates input (see details)
<code>singleton</code>	Logical or integer vector of length <code>nrow(x)</code> specifying inner cells for singleton handling. Normally, for frequency tables, this means cells with 1s when 0s are non-suppressed and cells with 0s when 0s are suppressed. For some singleton methods, integer values representing the unique magnitude table contributors are needed. For all other singleton methods, only the values after conversion with <code>as.logical</code> matter.
<code>singletonMethod</code>	Method for handling the problem of singletons and zeros: "anySum" (default), "anySum0", "anySumNOTprimary", "subSum", "subSpace", "sub2Sum", "none" or a <code>NumSingleton</code> method (see details).
<code>printInc</code>	Printing "..." to console when TRUE
<code>tolGauss</code>	A tolerance parameter for sparse Gaussian elimination and linear dependency. This parameter is used only in cases where integer calculation cannot be used.
<code>whenEmptySuppressed</code>	Function to be called when empty input to primary suppressed cells is problematic. Supply NULL to do nothing.
<code>whenEmptyUnsuppressed</code>	Function to be called when empty input to candidate cells may be problematic. Supply NULL to do nothing.
<code>whenPrimaryForced</code>	Function to be called if any forced cells are primary suppressed (suppression will be ignored). Supply NULL to do nothing. The same function will also be called when there are forced cells marked as singletons (will be ignored).
<code>removeDuplicated</code>	Whether to remove duplicated columns in <code>x</code> before running the main algorithm.
<code>iFunction</code>	A function to be called during the iterations. See the default function, <code>GaussIterationFunction</code> , for description of parameters.
<code>iWait</code>	The minimum number of seconds between each call to <code>iFunction</code> . Whenever <code>iWait < Inf</code> , <code>iFunction</code> will also be called after last iteration.
<code>xExtraPrimary</code>	Extra x-matrix that defines extra primary suppressed cells in addition to those defined by other inputs.
<code>unsafeAsNegative</code>	When TRUE, unsafe primary cells due to forced cells are included in the output vector as negative indices.
<code>...</code>	Extra unused parameters

Details

It is possible to specify too many (all) indices as candidates. Indices specified as primary or hidden will be removed. Hidden indices (not candidates or primary) refer to cells that will not be published, but do not need protection.

- **Singleton methods for frequency tables:** All singleton methods, except "sub2Sum" and the [NumSingleton](#) methods, have been implemented with frequency tables in mind. The singleton method "subSum" makes new imaginary primary suppressed cells, which are the sum of the singletons within each group. The "subSpace" method is conservative and ignores the singleton dimensions when looking for linear dependency. The default method, "anySum", is between the other two. Instead of making imaginary cells of sums within groups, the aim is to handle all possible sums, also across groups. In addition, "subSumSpace" and "subSumAny" are possible methods, primarily for testing. These methods are similar to "subSpace" and "anySum", and additional cells are created as in "subSum". It is believed that the extra cells are redundant. Note that in order to give information about unsafe cells, "anySum" is internally changed to "subSumAny" when there are forced cells. All the above methods assume that any published singletons are primary suppressed. If this is not the case, either "anySumNOTprimary" or "anySum0" must be used. Notably, "anySum0" is an enhancement of "anySumNOTprimary" for situations where zeros are singletons. Using that method avoids suppressing a zero marginal along with only one of its children.
- **Singleton methods for magnitude tables:** The singleton method "sub2Sum" makes new imaginary primary suppressed cells, which are the sum of two inner cells. This is done when a group contains exactly two primary suppressed inner cells provided that at least one of them is singleton. This was the first method implemented. Other magnitude methods follow the coding according to [NumSingleton](#). The "sub2Sum" method is equivalent to "numFFT". Also note that "num", "numFFF" and "numFTF" are equivalent to "none".
- **Combined:** For advanced use, singleton can be a two-element list with names "freq" and "num". Then singletonMethod must be a corresponding named two-element vector. For example: `singletonMethod = c(freq = "anySumNOTprimary", num = "sub2Sum")`

Value

Secondary suppression indices

Examples

```
# Input data
df <- data.frame(values = c(1, 1, 1, 5, 5, 9, 9, 9, 9, 9, 0, 0, 0, 7, 7),
                  var1 = rep(1:3, each = 5),
                  var2 = c("A", "B", "C", "D", "E"), stringsAsFactors = FALSE)

# Make output data frame and x
fs <- FormulaSums(df, values ~ var1 * var2, crossTable = TRUE, makeModelMatrix = TRUE)
x <- fs$modelMatrix
datF <- data.frame(fs$crossTable, values = as.vector(fs$allSums))

# Add primary suppression
datF$primary <- datF$values
datF$primary[datF$values < 5 & datF$values > 0] <- NA
```

```

datF$suppressedA <- datF$primary
datF$suppressedB <- datF$primary
datF$suppressedC <- datF$primary

# zero secondary suppressed
datF$suppressedA[GaussSuppression(x, primary = is.na(datF$primary))] <- NA

# zero not secondary suppressed by first in ordering
datF$suppressedB[GaussSuppression(x, c(which(datF$values == 0), which(datF$values > 0)),
                                     primary = is.na(datF$primary))] <- NA

# with singleton
datF$suppressedC[GaussSuppression(x, c(which(datF$values == 0), which(datF$values > 0)),
                                     primary = is.na(datF$primary), singleton = df$values == 1)] <- NA

datF

```

Description

According to the (factor) levels of the variables

Usage

```
HierarchicalGroups(
  x = NULL,
  mainName = TRUE,
  eachName = FALSE,
  fCorr = FactorLevCorr(x)
)
```

Arguments

- | | |
|-----------------------|--|
| <code>x</code> | Matrix or data frame containing the variables |
| <code>mainName</code> | When TRUE output list is named according to first variable in group. |
| <code>eachName</code> | When TRUE variable names in output instead of indices. |
| <code>fCorr</code> | When non-null, <code>x</code> is not needed as input. |

Value

Output is a list containing the groups. First variable has most levels.

Author(s)

Øyvind Langsrød

Examples

```
dataset <- SSBtoolsData("example1")
HierarchicalGroups(dataset[1:2], eachName = TRUE)
HierarchicalGroups(dataset[2:3])
HierarchicalGroups(dataset[1:4], eachName = TRUE)

HierarchicalGroups(SSBtoolsData("magnitude1")[1:4])

x <- rep(c("A", "B", "C"), 3)
y <- rep(c(11, 22, 11), 3)
z <- c(1, 1, 1, 2, 2, 2, 3, 3, 3)
zy <- paste(z, y, sep="")
m <- cbind(x, y, z, zy)
HierarchicalGroups(m)
```

HierarchicalWildcardGlobbing

Find variable combinations by advanced wildcard/globbing specifications.

Description

Find combinations present in an input data frame or, when input is a list, find all possible combinations that meet the requirements.

Usage

```
HierarchicalWildcardGlobbing(
  z,
  wg,
  useUnique = NULL,
  useFactor = FALSE,
  makeWarning = TRUE,
  printInfo = FALSE,
  useMatrixToDataFrame = TRUE
)
```

Arguments

<code>z</code>	list or data.frame
<code>wg</code>	data.frame with data globbing and wildcards
<code>useUnique</code>	Logical variable about recoding within the algorithm. By default (NULL) an automatic decision is made.
<code>useFactor</code>	When TRUE, internal factor recoding is used.
<code>makeWarning</code>	When TRUE, warning is made in cases of unused variables. Only variables common to <code>z</code> and <code>wg</code> are used.

`printInfo` When TRUE, information is printed during the process.
`useMatrixToDataFrame` When TRUE, special functions (DataFrameToMatrix/MatrixToDataFrame) for improving speed and memory is utilized.

Details

The final variable combinations must meet the requirements in each positive sign group and must not match the requirements in the negative sign groups. The function is implemented by calling `WildcardGlobbing` several times within an algorithm that uses hierarchical clustering (`hclust`).

Value

`data.frame`

Author(s)

Øyvind Langsrud

Examples

```
# useUnique=NULL betyr valg ut fra antall rader i kombinasjonsfil
data(precip)
data(mtcars)
codes <- as.character(c(100, 200, 300, 600, 700, 101, 102, 103, 104, 134, 647, 783,
13401, 13402, 64701, 64702))

# Create list input
zList <- list(car = rownames(mtcars), wt = as.character(1000 * mtcars$wt),
city = names(precip), code = codes)

# Create data.frame input
m <- cbind(car = rownames(mtcars), wt = as.character(1000 * mtcars$wt))
zFrame <- data.frame(m[rep(1:NROW(m), each = 35), ],
city = names(precip), code = codes, stringsAsFactors = FALSE)

# Create globbing/wildcards input
wg <- data.frame(rbind(c("Merc*", "", "", "?00"), 
c("F*", "", "", "?????"),
c("", "??0", "C*", ""),
c("", "", "!Co*", ""),
c("", "", "?i*", "????2"),
c("", "", "?h*", "????1")),
sign = c("+", "+", "+", "+", "-", "-"), stringsAsFactors = FALSE)
names(wg)[1:4] <- names(zList)

# =====
# Finding unique combinations present in the input data frame
```

```

# =====

# Using first row of wg. Combinations of car starting with Merc
# and three-digit code ending with 00
HierarchicalWildcardGlobbing(zFrame[, c(1, 4)], wg[1, c(1, 4, 5)])

# Using first row of wg. Combinations of all four variables
HierarchicalWildcardGlobbing(zFrame, wg[1, ])

# More combinations when using second row also
HierarchicalWildcardGlobbing(zFrame, wg[1:2, ])

# Less combinations when using third row also
# since last digit of wt must be 0 and only cities starting with C
HierarchicalWildcardGlobbing(zFrame, wg[1:3, ])

# Less combinations when using fourth row also since city cannot start with Co
HierarchicalWildcardGlobbing(zFrame, wg[1:4, ])

# Less combinations when using fourth row also
# since specific combinations of city and code are removed
HierarchicalWildcardGlobbing(zFrame, wg)

# =====
# Using list input to create all possible combinations
# =====

dim(HierarchicalWildcardGlobbing(zList, wg))

# same result with as.list since same unique values of each variable
dim(HierarchicalWildcardGlobbing(as.list(zFrame), wg))

```

Hierarchies2ModelMatrix

Model matrix representing crossed hierarchies

Description

Make a model matrix, x , that corresponds to data and represents all hierarchies crossed. This means that aggregates corresponding to numerical variables can be computed as $t(x) \%*\% y$, where y is a matrix with one column for each numerical variable.

Usage

```
Hierarchies2ModelMatrix(
  data,
  hierarchies,
```

```

  inputInOutput = TRUE,
  crossTable = FALSE,
  total = "Total",
  hierarchyVarNames = c(mapsFrom = "mapsFrom", mapsTo = "mapsTo", sign = "sign", level =
    "level"),
  unionComplement = FALSE,
  reOrder = TRUE,
  select = NULL,
  removeEmpty = FALSE,
  selectionByMultiplicationLimit = 10^7,
  makeColnames = TRUE,
  verbose = FALSE,
  ...
)

```

Arguments

<code>data</code>	Matrix or data frame with data containing codes of relevant variables
<code>hierarchies</code>	List of hierarchies, which can be converted by AutoHierarchies . Thus, the variables can also be coded by "rowFactor" or "", which correspond to using the categories in the data.
<code>inputInOutput</code>	Logical vector (possibly recycled) for each element of hierarchies. TRUE means that codes from input are included in output. Values corresponding to "rowFactor" or "" are ignored. Also see note.
<code>crossTable</code>	Cross table in output when TRUE
<code>total</code>	See AutoHierarchies
<code>hierarchyVarNames</code>	Variable names in the hierarchy tables as in HierarchyFix
<code>unionComplement</code>	Logical vector (possibly recycled) for each element of hierarchies. When TRUE, sign means union and complement instead of addition or subtraction. Values corresponding to "rowFactor" and "colFactor" are ignored.
<code>reOrder</code>	When TRUE (default) output codes are ordered in a way similar to a usual model matrix ordering.
<code>select</code>	Data frame specifying variable combinations for output or a named list specifying code selections for each variable (see details).
<code>removeEmpty</code>	When TRUE and when <code>select</code> is not a data frame, empty columns (only zeros) are not included in output.
<code>selectionByMultiplicationLimit</code>	With non-NULL <code>select</code> and when the number of elements in the model matrix exceeds this limit, the computation is performed by a slower but more memory efficient algorithm.
<code>makeColnames</code>	Colnames included when TRUE (default).
<code>verbose</code>	Whether to print information during calculations. FALSE is default.
<code>...</code>	Extra unused parameters

Details

This function makes use of [AutoHierarchies](#) and [HierarchyCompute](#) via [HierarchyComputeDummy](#). Since the dummy matrix is transposed in comparison to [HierarchyCompute](#), the parameter `rowSelect` is renamed to `select` and `makeRownames` is renamed to `makeColnames`.

The `select` parameter as a list can be partially specified in the sense that not all hierarchy names have to be included. The parameter `inputInOutput` will only apply to hierarchies that are not in the `select` list (see note).

Value

A sparse model matrix or a list of two elements (model matrix and cross table)

Note

The `select` as a list is run via a special coding of the `inputInOutput` parameter. This parameter is converted into a list (`as.list`) and `select` elements are inserted into this list. This is also an additional option for users of the function.

Author(s)

Øyvind Langsrud

See Also

[ModelMatrix](#), [HierarchiesAndFormula2ModelMatrix](#)

Examples

```
# Create some input
z <- SSBtoolsData("sppt_emp_withEU")
ageHier <- SSBtoolsData("sppt_emp_ageHier")
geoDimList <- FindDimLists(z[, c("geo", "eu")], total = "Europe")[[1]]

# First example has list output
Hierarchies2ModelMatrix(z, list(age = ageHier, geo = geoDimList), inputInOutput = FALSE,
                        crossTable = TRUE)

m1 <- Hierarchies2ModelMatrix(z, list(age = ageHier, geo = geoDimList), inputInOutput = FALSE)
m2 <- Hierarchies2ModelMatrix(z, list(age = ageHier, geo = geoDimList))
m3 <- Hierarchies2ModelMatrix(z, list(age = ageHier, geo = geoDimList, year = ""),
                             inputInOutput = FALSE)
m4 <- Hierarchies2ModelMatrix(z, list(age = ageHier, geo = geoDimList, year = "allYears"),
                             inputInOutput = c(FALSE, FALSE, TRUE))

# Illustrate the effect of unionComplement, geoHier2 as in the examples of HierarchyCompute
geoHier2 <- rbind(data.frame(mapsFrom = c("EU", "Spain"), mapsTo = "EUandSpain", sign = 1),
                   SSBtoolsData("sppt_emp_geoHier")[, -4])
m5 <- Hierarchies2ModelMatrix(z, list(age = ageHier, geo = geoHier2, year = "allYears"),
                             inputInOutput = FALSE) # Spain is counted twice
```

```

m6 <- Hierarchies2ModelMatrix(z, list(age = ageHier, geo = geoHier2, year = "allYears"),
                               inputInOutput = FALSE, unionComplement = TRUE)

# Compute aggregates
ths_per <- as.matrix(z[, "ths_per", drop = FALSE]) # matrix with the values to be aggregated
t(m1) %*% ths_per # crossprod(m1, ths_per) is equivalent and faster
t(m2) %*% ths_per
t(m3) %*% ths_per
t(m4) %*% ths_per
t(m5) %*% ths_per
t(m6) %*% ths_per

# Example using the select parameter as a data frame
select <- data.frame(age = c("Y15-64", "Y15-29", "Y30-64"), geo = c("EU", "nonEU", "Spain"))
m2a <- Hierarchies2ModelMatrix(z, list(age = ageHier, geo = geoDimList), select = select)

# Same result by slower alternative
m2B <- Hierarchies2ModelMatrix(z, list(age = ageHier, geo = geoDimList), crossTable = TRUE)
m2b <- m2B$modelMatrix[, Match(select, m2B$crossTable), drop = FALSE]
t(m2b) %*% ths_per

# Examples using the select parameter as a list
Hierarchies2ModelMatrix(z, list(age = ageHier, geo = geoDimList),
                        inputInOutput = FALSE,
                        select = list(geo = c("nonEU", "Portugal")))
Hierarchies2ModelMatrix(z, list(age = ageHier, geo = geoDimList),
                        select = list(geo = c("nonEU", "Portugal"), age = c("Y15-64", "Y15-29")))

```

HierarchiesAndFormula2ModelMatrix

Model matrix representing crossed hierarchies according to a formula

Description

How to cross the hierarchies are defined by a formula. The formula is automatically simplified when totals are involved.

Usage

```

HierarchiesAndFormula2ModelMatrix(
  data,
  hierarchies,
  formula,
  inputInOutput = TRUE,
  makeColNames = TRUE,
  crossTable = FALSE,

```

```

total = "Total",
simplify = TRUE,
hierarchyVarNames = c(mapsFrom = "mapsFrom", mapsTo = "mapsTo", sign = "sign", level =
  "level"),
unionComplement = FALSE,
removeEmpty = FALSE,
reOrder = TRUE,
sep = "-",
...
)

```

Arguments

<code>data</code>	Matrix or data frame with data containing codes of relevant variables
<code>hierarchies</code>	List of hierarchies, which can be converted by AutoHierarchies . Thus, the variables can also be coded by "rowFactor" or "", which correspond to using the categories in the data.
<code>formula</code>	A model formula
<code>inputInOutput</code>	Logical vector (possibly recycled) for each element of hierarchies. TRUE means that codes from input are included in output. Values corresponding to "rowFactor" or "" are ignored.
<code>makeColNames</code>	Colnames included when TRUE (default).
<code>crossTable</code>	Cross table in output when TRUE
<code>total</code>	Vector of total codes (possibly recycled) used when running Hrc2DimList
<code>simplify</code>	When TRUE (default) the model can be simplified when total codes are found in the hierarchies (see examples).
<code>hierarchyVarNames</code>	Variable names in the hierarchy tables as in HierarchyFix
<code>unionComplement</code>	Logical vector (possibly recycled) for each element of hierarchies. When TRUE, sign means union and complement instead of addition or subtraction. Values corresponding to "rowFactor" and "colFactor" are ignored.
<code>removeEmpty</code>	When TRUE, empty columns (only zeros) are not included in output.
<code>reOrder</code>	When TRUE (default) output codes are ordered in a way similar to a usual model matrix ordering.
<code>sep</code>	String to separate when creating column names
<code>...</code>	Extra unused parameters

Value

A sparse model matrix or a list of two elements (model matrix and cross table)

Author(s)

Øyvind Langsrød

See Also

[ModelMatrix](#), [Hierarchies2ModelMatrix](#), [Formula2ModelMatrix](#).

Examples

```
# Create some input
z <- SSBtoolsData("sprt_emp_withEU")
ageHier <- SSBtoolsData("sprt_emp_ageHier")
geoDimList <- FindDimLists(z[, c("geo", "eu")], total = "Europe")[[1]]

# Shorter function name
H <- HierarchiesAndFormula2ModelMatrix

# Small dataset example. Two dimensions.
s <- z[z$geo == "Spain", ]
geoYear <- list(geo = geoDimList, year = "")
m <- H(s, geoYear, ~geo * year, inputInOutput = c(FALSE, TRUE))
print(m, col.names = TRUE)
attr(m, "total")      # Total code 'Europe' is found
attr(m, "startCol")   # Two model terms needed

# Another model and with crossTable in output
H(s, geoYear, ~geo + year, crossTable = TRUE)

# Without empty columns
H(s, geoYear, ~geo + year, crossTable = TRUE, removeEmpty = TRUE)

# Three dimensions
ageGeoYear <- list(age = ageHier, geo = geoDimList, year = "allYears")
m <- H(z, ageGeoYear, ~age * geo + geo * year)
head(colnames(m))
attr(m, "total")
attr(m, "startCol")

# With simplify = FALSE
m <- H(z, ageGeoYear, ~age * geo + geo * year, simplify = FALSE)
head(colnames(m))
attr(m, "total")
attr(m, "startCol")

# Compute aggregates
m <- H(z, ageGeoYear, ~geo * age, inputInOutput = c(TRUE, FALSE, TRUE))
t(m) %*% z$ths_per

# Without hierarchies. Only factors.
ageGeoYearFactor <- list(age = "", geo = "", year = "")
t(H(z, ageGeoYearFactor, ~geo * age + year:geo))
```

Description

Conversion between to-from coded hierarchy and formulas written with =, - and +.

Usage

```
Hierarchy2Formula(
  x,
  hierarchyVarNames = c(mapsFrom = "mapsFrom", mapsTo = "mapsTo", sign = "sign", level =
    "level")
)
Formula2Hierarchy(s)
Hierarchies2Formulas(x, ...)
```

Arguments

x	Data frame with to-from coded hierarchy
hierarchyVarNames	Variable names in the hierarchy tables as in HierarchyFix .
s	Character vector of formulas written with =, - and +.
...	Extra parameters. Only hierarchyVarNames is relevant.

Value

See Arguments

Note

`Hierarchies2Formulas` is a wrapper for `lapply(x, Hierarchy2Formula, ...)`

Author(s)

Øyvind Langsrød

See Also

[DimList2Hierarchy](#), [DimList2Hrc](#), [AutoHierarchies](#).

Examples

```
x <- SSBtoolsData("sprt_emp_geoHier")
s <- Hierarchy2Formula(x)
s
Formula2Hierarchy(s)

# Demonstrate Hierarchies2Formulas and problems
hi <- FindHierarchies(SSBtoolsData("sprt_emp_withEU")[, c("geo", "eu", "age")])
hi
```

```
Hierarchies2Formulas(hi) # problematic formula since minus sign in coding
AutoHierarchies(Hierarchies2Formulas(hi)) # Not same as hi because of problems

# Change coding to avoid problems
hi$age$mapsFrom <- gsub("-", "_", hi$age$mapsFrom)
hi
Hierarchies2Formulas(hi)
AutoHierarchies(Hierarchies2Formulas(hi))
```

Description

This function computes aggregates by crossing several hierarchical specifications and factorial variables.

Usage

```
HierarchyCompute(
  data,
  hierarchies,
  valueVar,
  colVar = NULL,
  rowSelect = NULL,
  colSelect = NULL,
  select = NULL,
  inputInOutput = FALSE,
  output = "data.frame",
  autoLevel = TRUE,
  unionComplement = FALSE,
  constantsInOutput = NULL,
  hierarchyVarNames = c(mapsFrom = "mapsFrom", mapsTo = "mapsTo", sign = "sign", level =
    "level"),
  selectionByMultiplicationLimit = 10^7,
  colNotInDataWarning = TRUE,
  useMatrixToDataFrame = TRUE,
  handleDuplicated = "sum",
  asInput = FALSE,
  verbose = FALSE,
  reOrder = FALSE,
  reduceData = TRUE,
  makeRownames = NULL
)
```

Arguments

<code>data</code>	The input data frame
<code>hierarchies</code>	A named (names in <code>data</code>) list with hierarchies. Variables can also be coded by "rowFactor" and "colFactor".
<code>valueVar</code>	Name of the variable(s) to be aggregated.
<code>colVar</code>	When non-NULL, the function HierarchyCompute2 is called. See its documentation for more information.
<code>rowSelect</code>	Data frame specifying variable combinations for output. The colFactor variable is not included. In addition <code>rowSelect="removeEmpty"</code> removes combinations corresponding to empty rows (only zeros) of <code>dataDummyHierarchy</code> .
<code>colSelect</code>	Vector specifying categories of the colFactor variable for output.
<code>select</code>	Data frame specifying variable combinations for output. The colFactor variable is included.
<code>inputInOutput</code>	Logical vector (possibly recycled) for each element of hierarchies. TRUE means that codes from input are included in output. Values corresponding to "rowFactor" and "colFactor" are ignored.
<code>output</code>	One of "data.frame" (default), "dummyHierarchies", "outputMatrix", "dataDummyHierarchy", "valueMatrix", "fromCrossCode", "toCrossCode", "crossCode" (as <code>toCrossCode</code>), "outputMatrixWithCrossCode", "matrixComponents", "dataDummyHierarchyWithCodeFrame", "dataDummyHierarchyQuick". The latter two do not require <code>valueVar</code> (<code>reduceData</code> set to FALSE).
<code>autoLevel</code>	Logical vector (possibly recycled) for each element of hierarchies. When TRUE, level is computed by automatic method as in HierarchyFix . Values corresponding to "rowFactor" and "colFactor" are ignored.
<code>unionComplement</code>	Logical vector (possibly recycled) for each element of hierarchies. When TRUE, sign means union and complement instead of addition or subtraction as in DummyHierarchy . Values corresponding to "rowFactor" and "colFactor" are ignored.
<code>constantsInOutput</code>	A single row data frame to be combine by the other output.
<code>hierarchyVarNames</code>	Variable names in the hierarchy tables as in HierarchyFix .
<code>selectionByMultiplicationLimit</code>	With non-NULL <code>rowSelect</code> and when the number of elements in <code>dataDummyHierarchy</code> exceeds this limit, the computation is performed by a slower but more memory efficient algorithm.
<code>colNotInDataWarning</code>	When TRUE, warning produced when elements of <code>colSelect</code> are not in <code>data</code> .
<code>useMatrixToDataFrame</code>	When TRUE (default) special functionality for saving time and memory is used.
<code>handleDuplicated</code>	Handling of duplicated code rows in data. One of: "sum" (default), "sumByAggregate", "sumWithWarning", "stop" (error), "single" or "singleWithWarning". With no colFactor sum and sumByAggregate/sumWithWarning are different

	(original values or aggregates in "valueMatrix"). When single, only one of the values is used (by matrix subsetting).
asInput	When TRUE (FALSE is default) output matrices match input data. Thus <code>valueMatrix = Matrix(data[, valueVar], ncol=1)</code> . Only possible when no colFactor.
verbose	Whether to print information during calculations. FALSE is default.
reOrder	When TRUE (FALSE is default) output codes are ordered differently, more similar to a usual model matrix ordering.
reduceData	When TRUE (default) unnecessary (for the aggregated result) rows of <code>valueMatrix</code> are allowed to be removed.
makeRownames	When TRUE <code>dataDummyHierarchy</code> contains rownames. By default, this is decided based on the parameter output.

Details

A key element of this function is the matrix multiplication: `outputMatrix = dataDummyHierarchy %*% valueMatrix`. The matrix, `valueMatrix` is a re-organized version of the `valueVar` vector from input. In particular, if a variable is selected as `colFactor`, there is one column for each level of that variable. The matrix, `dataDummyHierarchy` is constructed by crossing dummy coding of hierarchies ([DummyHierarchy](#)) and factorial variables in a way that matches `valueMatrix`. The code combinations corresponding to rows and columns of `dataDummyHierarchy` can be obtained as `toCrossCode` and `fromCrossCode`. In the default data frame output, the `outputMatrix` is stacked to one column and combined with the code combinations of all variables.

Value

As specified by the parameter output

Author(s)

Øyvind Langsrud

See Also

[Hierarchies2ModelMatrix](#), [AutoHierarchies](#).

Examples

```
# Data and hierarchies used in the examples
x <- SSBtoolsData("sprt_emp") # Employment in sport in thousand persons from Eurostat database
geoHier <- SSBtoolsData("sprt_emp_geoHier")
ageHier <- SSBtoolsData("sprt_emp_ageHier")

# Two hierarchies and year as rowFactor
HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "rowFactor"), "ths_per")

# Same result with year as colFactor (but columns ordered differently)
HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "colFactor"), "ths_per")

# Internally the computations are different as seen when output='matrixComponents'
```

```

HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "rowFactor"), "ths_per",
                 output = "matrixComponents")
HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "colFactor"), "ths_per",
                 output = "matrixComponents")

# Include input age groups by setting inputInOutput = TRUE for this variable
HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "colFactor"), "ths_per",
                 inputInOutput = c(TRUE, FALSE))

# Only input age groups by switching to rowFactor
HierarchyCompute(x, list(age = "rowFactor", geo = geoHier, year = "colFactor"), "ths_per")

# Select some years (colFactor) including a year not in input data (zeros produced)
HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "colFactor"), "ths_per",
                 colSelect = c("2014", "2016", "2018"))

# Select combinations of geo and age including a code not in data or hierarchy (zeros produced)
HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "colFactor"), "ths_per",
                 rowSelect = data.frame(geo = "EU", age = c("Y0-100", "Y15-64", "Y15-29")))

# Select combinations of geo, age and year
HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "colFactor"), "ths_per",
                 select = data.frame(geo = c("EU", "Spain"), age = c("Y15-64", "Y15-29"), year = 2015))

# Extend the hierarchy table to illustrate the effect of unionComplement
# Omit level since this is handled by autoLevel
geoHier2 <- rbind(data.frame(mapsFrom = c("EU", "Spain"), mapsTo = "EUandSpain", sign = 1),
                   geoHier[, -4])

# Spain is counted twice
HierarchyCompute(x, list(age = ageHier, geo = geoHier2, year = "colFactor"), "ths_per")

# Can be seen in the dataDummyHierarchy matrix
HierarchyCompute(x, list(age = ageHier, geo = geoHier2, year = "colFactor"), "ths_per",
                 output = "matrixComponents")

# With unionComplement=TRUE Spain is not counted twice
HierarchyCompute(x, list(age = ageHier, geo = geoHier2, year = "colFactor"), "ths_per",
                 unionComplement = TRUE)

# With constantsInOutput
HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "colFactor"), "ths_per",
                 constantsInOutput = data.frame(c1 = "AB", c2 = "CD"))

# More than one valueVar
x$y <- 10*x$ths_per
HierarchyCompute(x, list(age = ageHier, geo = geoHier), c("y", "ths_per"))

```

Description

Extended variant of [HierarchyCompute](#) with several column variables (not just "colFactor"). Parameter colVar splits the hierarchy variables in two groups and this variable overrides the difference between "rowFactor" and "colFactor".

Usage

```
HierarchyCompute2(
  data,
  hierarchies,
  valueVar,
  colVar,
  rowSelect = NULL,
  colSelect = NULL,
  select = NULL,
  output = "data.frame",
  ...
)
```

Arguments

data	The input data frame
hierarchies	A named list with hierarchies
valueVar	Name of the variable(s) to be aggregated
colVar	Name of the column variable(s)
rowSelect	Data frame specifying variable combinations for output
colSelect	Data frame specifying variable combinations for output
select	Data frame specifying variable combinations for output
output	One of "data.frame" (default), "outputMatrix", "matrixComponents".
...	Further parameters sent to HierarchyCompute

Details

Within this function, [HierarchyCompute](#) is called two times. By specifying output as "matrixComponents", output from the two runs are retuned as a list with elements hcRow and hcCol. The matrix multiplication in [HierarchyCompute](#) is extended to $outputMatrix = hcRow\$dataDummyHierarchy \%*\% hcRow$valueMatrix \%*\% t(hcCol\$dataDummyHierarchy)$. This is modified in cases with more than a single valueVar.

Value

As specified by the parameter output

Note

There is no need to call [HierarchyCompute2](#) directly. The main function [HierarchyCompute](#) can be used instead.

Author(s)

Øyvind Langsrød

See Also

[Hierarchies2ModelMatrix](#), [AutoHierarchies](#).

Examples

```
x <- SSBtoolsData("sprt_emp")
geoHier <- SSBtoolsData("sprt_emp_geoHier")
ageHier <- SSBtoolsData("sprt_emp_ageHier")

HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "rowFactor"), "ths_per",
                 colVar = c("age", "year"))
HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "rowFactor"), "ths_per",
                 colVar = c("age", "geo"))
HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "rowFactor"), "ths_per",
                 colVar = c("age", "year"), output = "matrixComponents")
HierarchyCompute(x, list(age = ageHier, geo = geoHier, year = "rowFactor"), "ths_per",
                 colVar = c("age", "geo"), output = "matrixComponents")
```

LSfitNonNeg

Non-negative regression fits with a sparse overparameterized model matrix

Description

Assuming $z = t(x) \%*\% y + \text{noise}$, a non-negatively modified least squares estimate of $t(x) \%*\% y$ is made.

Usage

```
LSfitNonNeg(x, z, limit = 1e-10, viaQR = FALSE, printInc = TRUE)
```

Arguments

x	A matrix
z	A single column matrix
limit	Lower limit for non-zero fits. Set to NULL or -Inf to avoid the non-zero restriction.
viaQR	Least squares fits obtained using qr when TRUE.
printInc	Printing "..." to console when TRUE.

Details

The problem is first reduced by elimination some rows of x (elements of y) using [GaussIndependent](#). Thereafter least squares fits are obtained using [solve](#) or [qr](#). Possible negative fits will be forced to zero in the next estimation iteration(s).

Value

A fitted version of z

Author(s)

Øyvind Langsrud

Examples

```
set.seed(123)
data2 <- SSBtoolsData("z2")
x <- ModelMatrix(data2, formula = ~fylke + kostragr * hovedint - 1)
z <- t(x) %*% data2$ant + rnorm(ncol(x), sd = 3)
LSfitNonNeg(x, z)
LSfitNonNeg(x, z, limit = NULL)

## Not run:
mf <- ~region*mnd + hovedint*mnd + fylke*hovedint*mnd + kostragr*hovedint*mnd
data4 <- SSBtoolsData("sosialFiktiv")
x <- ModelMatrix(data4, formula = mf)
z <- t(x) %*% data4$ant + rnorm(ncol(x), sd = 3)
zFit <- LSfitNonNeg(x, z)

## End(Not run)
```

MakeHierFormula

Make model formula from data taking into account hierarchical variables

Description

Make model formula from data taking into account hierarchical variables

Usage

```
MakeHierFormula(
  data = NULL,
  hGroups = HierarchicalGroups2(data),
  n = length(hGroups),
  sim = TRUE
)
```

Arguments

<code>data</code>	data frame
<code>hGroups</code>	Output from <code>HierarchicalGroups2()</code>
<code>n</code>	Interaction level or 0 (all levels)
<code>sim</code>	Include "~" when TRUE

Value

Formula as character string

Author(s)

Øyvind Langsrud

Examples

```
x <- SSBtoolsData("sppt_emp_withEU")[, -4]
MakeHierFormula(x)
MakeHierFormula(x, n = 2)
MakeHierFormula(x, n = 0)
```

Match

Matching rows in data frames

Description

The algorithm is based on converting variable combinations to whole numbers. The final matching is performed using [match](#).

Usage

```
Match(x, y)
```

Arguments

<code>x</code>	data frame
<code>y</code>	data frame

Details

When the result of multiplying together the number of unique values in each column of `x` exceeds 9E15 (largest value stored exactly by the numeric data type), the algorithm is recursive.

Value

An integer vector giving the position in `y` of the first match if there is a match, otherwise NA.

Author(s)

Øyvind Langsrud

Examples

```
a <- data.frame(x = c("a", "b", "c"), y = c("A", "B"), z = 1:6)
b <- data.frame(x = c("b", "c"), y = c("B", "K", "A", "B"), z = c(2, 3, 5, 6))

Match(a, b)
Match(b, a)

# Slower alternative
match(data.frame(t(a), stringsAsFactors = FALSE), data.frame(t(b), stringsAsFactors = FALSE))
match(data.frame(t(b), stringsAsFactors = FALSE), data.frame(t(a), stringsAsFactors = FALSE))

# More comprehensive example (n, m and k may be changed)
n <- 10^4
m <- 10^3
k <- 10^2
data(precip)
data(mtcars)
y <- data.frame(car = sample(rownames(mtcars), n, replace = TRUE),
                 city = sample(names(precip), n, replace = TRUE),
                 n = rep_len(1:k, n), a = rep_len(c("A", "B", "C", "D"), n),
                 b = rep_len(as.character(rnorm(1000)), n),
                 d = sample.int(k + 10, n, replace = TRUE),
                 e = paste(sample.int(k * 2, n, replace = TRUE),
                           rep_len(c("Green", "Red", "Blue"), n), sep = "_"),
                 r = rnorm(k)^99)
x <- y[sample.int(n, m), ]
row.names(x) <- NULL
ix <- Match(x, y)
```

Description

Functions to generate increasing sequences

Usage

```
matlabColon(from, to)

SeqInc(from, to)
```

Arguments

<code>from</code>	numeric. The start value
<code>to</code>	numeric. The end value.

Details

`matlabColon(a,b)` returns `a:b` (R's version) unless $a > b$, in which case it returns `integer(0)`. `SeqInc(a,b)` is similar, but results in error when the calculated length of the sequence (`1+to-from`) is negative.

Value

A numeric vector, possibly empty.

Author(s)

Bjørn-Helge Mevik (`matlabColon`) and Øyvind Langsrød (`SeqInc`)

See Also

[seq](#)

Examples

```
identical(3:5, matlabColon(3, 5)) ## => TRUE
3:1 ## => 3 2 1
matlabColon(3, 1) ## => integer(0)
try(SeqInc(3, 1)) ## => Error
SeqInc(3, 2)      ## => integer(0)
```

Matrix2list

Convert matrix to sparse list

Description

Convert matrix to sparse list

Usage

`Matrix2list(x)`

`Matrix2listInt(x)`

Arguments

<code>x</code>	Input matrix
----------------	--------------

Details

Within the function, the input matrix is first converted to a dgTMatrix matrix (Matrix package).

Value

A two-element list: List of row numbers (r) and a list of numeric or integer values (x)

Note

`Matrix2listInt` converts the values to integers by `as.integer` and no checking is performed. Thus, zeros are possible.

Author(s)

Øyvind Langsrød

Examples

```
m = matrix(c(0.5, 1.1, 3.14, 0, 0, 0, 0, 4, 5), 3, 3)
Matrix2list(m)
Matrix2listInt(m)
```

Mipf

Iterative proportional fitting from matrix input

Description

The linear equation, $z = t(x) \%*\% y$, is (hopefully) solved for y by iterative proportional fitting

Usage

```
Mipf(
  x,
  z = NULL,
  iter = 100,
  yStart = matrix(1, nrow(x), 1),
  eps = 0.01,
  tol = 1e-10,
  reduceBy0 = FALSE,
  reduceByColSums = FALSE,
  reduceByLeverage = FALSE,
  returnDetails = FALSE,
  y = NULL
)
```

Arguments

x	a matrix
z	a single column matrix
iter	maximum number of iterations
yStart	a starting estimate of y
eps	stopping criterion. Maximum allowed value of <code>max(abs(z - t(x) %*% yHat))</code>
tol	Another stopping criterion. Maximum absolute difference between two iterations.
reduceBy0	When TRUE, <code>Reduce0exact</code> used within the function
reduceByColSums	Parameter to <code>Reduce0exact</code> (when TRUE)
reduceByLeverage	Parameter to <code>Reduce0exact</code> (when TRUE)
returnDetails	More output when TRUE.
y	It is possible to set z to NULL and supply original y instead (<code>z = t(x) %*% y</code>)

Details

The algorithm will work similar to `loglin` when the input x-matrix is a overparameterized model matrix – as can be created by `ModelMatrix` and `FormulaSums`. See Examples.

Value

`yHat`, the estimate of y

Author(s)

Øyvind Langsrød

Examples

```
## Not run:
data2 <- SSBtoolsData("z2")
x <- ModelMatrix(data2, formula = ~fylke + kostragr * hovedint - 1)
z <- t(x) %*% data2$ant # same as FormulaSums(data2, ant~fylke + kostragr * hovedint -1)
yHat <- Mipf(x, z)

#####
# loglm comparison
#####

if (require(MASS)){
  # Increase accuracy
  yHat <- Mipf(x, z, eps = 1e-04)
```

```

# Run loglm and store fitted values in a data frame
outLoglm <- loglm(ant ~ fylke + kostragr * hovedint, data2, eps = 1e-04, iter = 100)
dfLoglm <- as.data.frame.table(fitted(outLoglm))

# Problem 1: Variable region not in output, but instead the variable .Within.
# Problem 2: Extra zeros since hierarchy not treated. Impossible combinations in output.

# By sorting data, it becomes clear that the fitted values are the same.
max(abs(sort(dfLoglm$Freq, decreasing = TRUE)[1:nrow(data2)] - sort(yHat, decreasing = TRUE)))

# Modify so that region is in output. Problem 1 avoided.
x <- ModelMatrix(data2, formula = ~region + kostragr * hovedint - 1)
z <- t(x) %*% data2$ant # same as FormulaSums(data2, ant~fylke + kostragr * hovedint -1)
yHat <- Mipf(x, z, eps = 1e-04)
outLoglm <- loglm(ant ~ region + kostragr * hovedint, data2, eps = 1e-04, iter = 100)
dfLoglm <- as.data.frame.table(fitted(outLoglm))

# Now it is possible to merge data
merg <- merge(cbind(data2, yHat), dfLoglm)

# Identical output
max(abs(merg$yHat - merg$Freq))

}

## End(Not run)

#####
# loglin comparison
#####

# Generate input data for loglin
n <- 5:9
tab <- array(sample(1:prod(n)), n)

# Input parameters
iter <- 20
eps <- 1e-05

# Estimate yHat by loglin
out <- loglin(tab, list(c(1, 2), c(1, 3), c(1, 4), c(1, 5), c(2, 3, 4), c(3, 4, 5)),
               fit = TRUE, iter = iter, eps = eps)
yHatLoglin <- matrix((out$fit)), ncol = 1

# Transform the data for input to Mipf
df <- as.data.frame.table(tab)
names(df)[1:5] <- c("A", "B", "C", "D", "E")
x <- ModelMatrix(df, formula = ~A:B + A:C + A:D + A:E + B:C:D + C:D:E - 1)
z <- t(x) %*% df$Freq

# Estimate yHat by Mipf
yHatPMipf <- Mipf(x, z, iter = iter, eps = eps)

```

```

# Maximal absolute difference
max(abs(yHatPMipf - yHatLoglin))

# Note: loglin reports one iteration extra

# Another example. Only one iteration needed.
max(abs(Mipf(x = FormulaSums(df, ~A:B + C - 1),
              z = FormulaSums(df, Freq ~ A:B + C -1))
         - matrix(loglin(tab, list(1:2, 3), fit = TRUE)$fit, ncol = 1)))

#####
# Examples utilizing Reduce0exact
#####

z3 <- SSBtoolsData("z3")
x <- ModelMatrix(z3, formula = ~region + kostragr * hovedint + region * mnd2 + fylke * mnd +
                  mnd * hovedint + mnd2 * fylke * hovedint - 1)

# reduceBy0, but no iteration improvement. Identical results.
t <- 360
y <- z3$ant
y[round((1:t) * 432/t)] <- 0
z <- t(x) %*% y
a1 <- Mipf(x, z, eps = 0.1)
a2 <- Mipf(x, z, reduceBy0 = TRUE, eps = 0.1)
a3 <- Mipf(x, z, reduceByColSums = TRUE, eps = 0.1)
max(abs(a1 - a2))
max(abs(a1 - a3))

## Not run:
# Improvement by reduceByColSums. Changing eps and iter give more similar results.
t <- 402
y <- z3$ant
y[round((1:t) * 432/t)] <- 0
z <- t(x) %*% y
a1 <- Mipf(x, z, eps = 1)
a2 <- Mipf(x, z, reduceBy0 = TRUE, eps = 1)
a3 <- Mipf(x, z, reduceByColSums = TRUE, eps = 1)
max(abs(a1 - a2))
max(abs(a1 - a3))

# Improvement by ReduceByLeverage. Changing eps and iter give more similar results.
t <- 378
y <- z3$ant
y[round((1:t) * 432/t)] <- 0
z <- t(x) %*% y
a1 <- Mipf(x, z, eps = 1)
a2 <- Mipf(x, z, reduceBy0 = TRUE, eps = 1)
a3 <- Mipf(x, z, reduceByColSums = TRUE, eps = 1)

```

```

a4 <- Mipf(x, z, reduceByLeverage = TRUE, eps = 1)
max(abs(a1 - a2))
max(abs(a1 - a3))
max(abs(a1 - a4))

# Example with small eps and "Iteration stopped since tol reached"
t <- 384
y <- z3$ant
y[round((1:t) * 432/t)] <- 0
z <- t(x) %*% y
a1 <- Mipf(x, z, eps = 1e-14)
a2 <- Mipf(x, z, reduceBy0 = TRUE, eps = 1e-14)
a3 <- Mipf(x, z, reduceByColSums = TRUE, eps = 1e-14)
max(abs(a1 - a2))
max(abs(a1 - a3))

## End(Not run)

# All y-data found by reduceByColSums (0 iterations).
t <- 411
y <- z3$ant
y[round((1:t) * 432/t)] <- 0
z <- t(x) %*% y
a1 <- Mipf(x, z)
a2 <- Mipf(x, z, reduceBy0 = TRUE)
a3 <- Mipf(x, z, reduceByColSums = TRUE)
max(abs(a1 - y))
max(abs(a2 - y))
max(abs(a3 - y))

```

ModelMatrix*Model matrix from hierarchies and/or a formula***Description**

A common interface to [Hierarchies2ModelMatrix](#), [Formula2ModelMatrix](#) and [HierarchiesAndFormula2ModelMatrix](#)

Usage

```

ModelMatrix(
  data,
  hierarchies = NULL,
  formula = NULL,
  inputInOutput = TRUE,
  crossTable = FALSE,
  sparse = TRUE,
  viaOrdinary = FALSE,
  total = "Total",

```

```

removeEmpty = !is.null(formula) & is.null(hierarchies),
modelMatrix = NULL,
dimVar = NULL,
select = NULL,
...
)
NamesFromModelMatrixInput(
  data = NULL,
  hierarchies = NULL,
  formula = NULL,
  dimVar = NULL,
  ...
)

```

Arguments

<code>data</code>	Matrix or data frame with data containing codes of relevant variables
<code>hierarchies</code>	List of hierarchies, which can be converted by AutoHierarchies . Thus, the variables can also be coded by "rowFactor" or "", which correspond to using the categories in the data.
<code>formula</code>	A model formula
<code>inputInOutput</code>	Logical vector (possibly recycled) for each element of hierarchies. TRUE means that codes from input are included in output. Values corresponding to "rowFactor" or "" are ignored.
<code>crossTable</code>	Cross table in output when TRUE
<code>sparse</code>	Sparse matrix in output when TRUE (default)
<code>viaOrdinary</code>	When TRUE, output is generated by model.matrix or sparse.model.matrix . Since these functions omit a factor level, an empty factor level is first added.
<code>total</code>	String(s) used to name totals
<code>removeEmpty</code>	When TRUE, empty columns (only zeros) are not included in output. Default is TRUE with formula input without hierarchy and otherwise FALSE (see details).
<code>modelMatrix</code>	The model matrix as input (same as output)
<code>dimVar</code>	The main dimensional variables and additional aggregating variables. This parameter can be useful when hierarchies and formula are unspecified.
<code>select</code>	Data frame specifying variable combinations for output or a named list specifying code selections for each variable (see details).
<code>...</code>	Further arguments to Hierarchies2ModelMatrix , Formula2ModelMatrix or HierarchiesAndFormula2ModelMatrix

Details

The default value of `removeEmpty` corresponds to the default settings of the underlying functions. The functions [Hierarchies2ModelMatrix](#) and [HierarchiesAndFormula2ModelMatrix](#) have `removeEmpty` as an explicit parameter with FALSE as default. The function [Formula2ModelMatrix](#)

is a wrapper for [FormulaSums](#), which has a parameter `includeEmpty` with `FALSE` as default. Thus, `ModelMatrix` makes a call to `Formula2ModelMatrix` with `includeEmpty = !removeEmpty`.

`NamesFromModelMatrixInput` returns the names of the data columns involved in creating the model matrix. Note that data must be non-NULL to convert `dimVar` as indices to names.

The `select` parameter is forwarded to `Hierarchies2ModelMatrix` unless `removeEmpty = TRUE` is combined with `select` as a data frame. In all other cases, `select` is handled outside the underlying functions by making selections in the result. Empty columns can be added to the model matrix when `removeEmpty = FALSE` (with warning).

Value

A (sparse) model matrix or a list of two elements (model matrix and cross table)

Author(s)

Øyvind Langsrud

Examples

```
# Create some input
z <- SSBtoolsData("sp_emp_withEU")
ageHier <- data.frame(mapsFrom = c("young", "old"), mapsTo = "Total", sign = 1)
geoDimList <- FindDimLists(z[, c("geo", "eu")], total = "Europe")[[1]]

# Small dataset example. Two dimensions.
s <- z[z$geo == "Spain" & z$year != 2016, ]
rownames(s) <- NULL
s

# via Hierarchies2ModelMatrix() and converted to ordinary matrix (not sparse)
ModelMatrix(s, list(age = ageHier, year = ""), sparse = FALSE)

# Hierarchies generated automatically. Then via Hierarchies2ModelMatrix()
ModelMatrix(s[, c(1, 4)])

# via Formula2ModelMatrix()
ModelMatrix(s, formula = ~age + year)

# via model.matrix() after adding empty factor levels
ModelMatrix(s, formula = ~age + year, sparse = FALSE, viaOrdinary = TRUE)

# via sparse.model.matrix() after adding empty factor levels
ModelMatrix(s, formula = ~age + year, viaOrdinary = TRUE)

# via HierarchiesAndFormula2ModelMatrix() and using different data and parameter settings
ModelMatrix(s, list(age = ageHier, geo = geoDimList, year = ""), formula = ~age * geo + year,
           inputInOutput = FALSE, removeEmpty = TRUE, crossTable = TRUE)
ModelMatrix(s, list(age = ageHier, geo = geoDimList, year = ""), formula = ~age * geo + year,
           inputInOutput = c(TRUE, FALSE), removeEmpty = FALSE, crossTable = TRUE)
ModelMatrix(z, list(age = ageHier, geo = geoDimList, year = ""), formula = ~age * year + geo,
           inputInOutput = c(FALSE, TRUE), crossTable = TRUE)
```

```

# via Hierarchies2ModelMatrix() using unnamed list element. See AutoHierarchies.
colnames(ModelMatrix(z, list(age = ageHier, c(Europe = "geo", Allyears = "year", "eu"))))
colnames(ModelMatrix(z, list(age = ageHier, c("geo", "year", "eu"))), total = c("t1", "t2"))

# Example using the select parameter as a data frame
select <- data.frame(age = c("Total", "young", "old"), geo = c("EU", "nonEU", "Spain"))
ModelMatrix(z, list(age = ageHier, geo = geoDimList),
            select = select, crossTable = TRUE)$crossTable

# Examples using the select parameter as a list
ModelMatrix(z, list(age = ageHier, geo = geoDimList), inputInOutput = FALSE,
            select = list(geo = c("nonEU", "Portugal")), crossTable = TRUE)$crossTable
ModelMatrix(z, list(age = ageHier, geo = geoDimList),
            select = list(geo = c("nonEU", "Portugal"), age = c("Total", "young")),
            crossTable = TRUE)$crossTable

```

model_aggregate*Hierarchical aggregation via model specification***Description**

Internally a dummy/model matrix is created according to the model specification. This model matrix is used in the aggregation process via matrix multiplication and/or the function [aggregate_multiple_fun](#).

Usage

```

model_aggregate(
  data,
  sum_vars = NULL,
  fun_vars = NULL,
  fun = NULL,
  hierarchies = NULL,
  formula = NULL,
  dim_var = NULL,
  preagg_var = NULL,
  dummy = TRUE,
  pre_aggregate = dummy,
  list_return = FALSE,
  pre_return = FALSE,
  verbose = TRUE,
  mm_args = NULL,
  ...
)

```

Arguments

data	A data frame containing data to be aggregated
sum_vars	Variables to be summed. This will be done via matrix multiplication.
fun_vars	Variables to be aggregated by supplied functions. This will be done via aggregate_multiple_fun and dummy_aggregate and fun_vars is specified as the parameter vars.
fun	The fun parameter to aggregate_multiple_fun
hierarchies	The hierarchies parameter to ModelMatrix
formula	The formula parameter to ModelMatrix
dim_var	The dimVar parameter to ModelMatrix
preagg_var	Extra variables to be used as grouping elements in the pre-aggregate step
dummy	The dummy parameter to dummy_aggregate . When TRUE, only 0s and 1s are assumed in the generated model matrix. When FALSE, non-0s in this matrix are passed as an additional first input parameter to the fun functions.
pre_aggregate	Whether to pre-aggregate data to reduce the dimension of the model matrix. Note that all original fun_vars observations are retained in the aggregated dataset and pre_aggregate does not affect the final result. However, pre_aggregate must be set to FALSE when the dummy_aggregate parameter dummy is set to FALSE since then unlist will not be run. An exception to this is if the fun functions are written to handle list data.
list_return	Whether to return a list of separate components including the model matrix x.
pre_return	Whether to return the pre-aggregate data as a two-component list. Can also be combined with list_return (see examples).
verbose	Whether to print information during calculations.
mm_args	List of further arguments passed to ModelMatrix .
...	Further arguments passed to dummy_aggregate .

Details

With formula input, limited output can be achieved by [formula_selection](#) (see example). An attribute called startCol has been added to the output data frame to make this functionality work.

Value

A data frame or a list.

Examples

```

z <- SSBtoolsData("sprt_emp_withEU")
z$age[z$age == "Y15-29"] <- "young"
z$age[z$age == "Y30-64"] <- "old"
names(z)[names(z) == "ths_per"] <- "ths"
z$y <- 1:18

my_range <- function(x) c(min = min(x), max = max(x))

```

```

out <- model_aggregate(z,
  formula = ~age:year + geo,
  sum_vars = c("y", "ths"),
  fun_vars = c(sum = "ths", mean = "y", med = "y", ra = "ths"),
  fun = c(sum = sum, mean = mean, med = median, ra = my_range))

out

# Limited output can be achieved by formula_selection
formula_selection(out, ~geo)

# Using the single unnamed variable feature.
model_aggregate(z, formula = ~age, fun_vars = "y",
  fun = c(sum = sum, mean = mean, med = median, n = length))

# To illustrate list_return and pre_return
for (pre_return in c(FALSE, TRUE)) for (list_return in c(FALSE, TRUE)) {
  cat("\n=====\n")
  cat("list_return =", list_return, ", pre_return =", pre_return, "\n\n")
  out <- model_aggregate(z, formula = ~age:year,
    sum_vars = c("ths", "y"),
    fun_vars = c(mean = "y", ra = "y"),
    fun = c(mean = mean, ra = my_range),
    list_return = list_return,
    pre_return = pre_return)
  cat("\n")
  print(out)
}

# To illustrate preagg_var
model_aggregate(z, formula = ~age:year,
  sum_vars = c("ths", "y"),
  fun_vars = c(mean = "y", ra = "y"),
  fun = c(mean = mean, ra = my_range),
  preagg_var = "eu",
  pre_return = TRUE)[["pre_data"]]

# To illustrate hierarchies
geo_hier <- SSBtoolsData("sppt_emp_geoHier")
model_aggregate(z, hierarchies = list(age = "All", geo = geo_hier),
  sum_vars = "y",
  fun_vars = c(sum = "y"))

##### Special non-dummy cases illustrated below #####
# Extend the hierarchy to make non-dummy model matrix
geo_hier2 <- rbind(data.frame(mapsFrom = c("EU", "Spain"),
  mapsTo = "EUandSpain", sign = 1), geo_hier[, -4])

```

```

# Warning since non-dummy
# y and y_sum are different
model_aggregate(z, hierarchies = list(age = "All", geo = geo_hier2),
                 sum_vars = "y",
                 fun_vars = c(sum = "y"))

# No warning since dummy since unionComplement = TRUE (see ?HierarchyCompute)
# y and y_sum are equal
model_aggregate(z, hierarchies = list(age = "All", geo = geo_hier2),
                 sum_vars = "y",
                 fun_vars = c(sum = "y"),
                 mm_args = list(unionComplement = TRUE))

# Non-dummy again, but no warning since dummy = FALSE
# Then pre_aggregate is by default set to FALSE (error when TRUE)
# fun with extra argument needed (see ?dummy_aggregate)
# y and y_sum2 are equal
model_aggregate(z, hierarchies = list(age = "All", geo = geo_hier2),
                 sum_vars = "y",
                 fun_vars = c(sum2 = "y"),
                 fun = c(sum2 = function(x, y) sum(x * y)),
                 dummy = FALSE)

```

Number*Adding leading zeros***Description**

Adding leading zeros

Usage

```
Number(n, width = 3)
```

Arguments

n	numeric vector of whole numbers
width	width

Value

Character vector

Author(s)

Øyvind Langsrud

Examples

```
Number(1:3)
```

NumSingleton

*Decoding of singletonMethod***Description**

A [GaussSuppression](#) singletonMethod starting with "num" is decoded into separate characters.

Usage

```
NumSingleton(singletonMethod)
```

Arguments

`singletonMethod`

String to be decoded. If necessary, the input string is extended with F's.

Details

Any F means the feature is turned off. Other characters have the following meaning:

1. `singleton2Primary` (1st character):
 - T: All singletons are forced to be primary suppressed.
 - t: Non-published singletons are primary suppressed.
2. `integerUnique` (2nd character):
 - T: Integer values representing the unique contributors are utilized. Error if `singleton` not supplied as integer.
 - t: As T above, but instead of error, the feature is turned off (as F) if `singleton` is not supplied as integer.
3. `sum2` (3rd character):
 - T: Imaginary primary suppressed cells are made, which are the sum of some suppressed inner cells and which can be divided into two components. At least one component is singleton contributor. The other component may be an inner cell.
 - H: As T above. And in addition, the other component can be any primary suppressed published cell. This method may be computationally demanding for big data.
4. `elimination` (4th character):
 - t: The singleton problem will be handled by methodology implemented as a part of the Gaussian elimination algorithm.
 - m: As t above. And in addition, a message will be printed to inform about problematic singletons. Actual reveals will be calculated when `singleton2Primary = T` (1st character) and when `singleton2Primary = t` yield the same result as `singleton2Primary = T`. Problematic singletons can appear since the algorithm is not perfect in the sense that the elimination of rows may cause problems. Such problems can be a reason not to switch off `sum2`.
 - w: As m above, but warning instead of message.

- T, M and W: As t, m and w above. In addition, the gauss elimination routine is allowed to run in parallel with different sortings so that the problem of eliminated singleton rows is reduced.
- f: As F, which means that the elimination feature is turned off. However, when possible, a message will provide information about actual reveals, similar to m above.

5. combinations (5th character):

- T: This is a sort of extension of singleton2Primary which is relevant when both integerUnique and elimination are used. For each unique singleton contributor, the method seeks to protect all linear combinations of singleton cells from the unique contributor. Instead of construction new primary cells, protection is achieved as a part of the elimination procedure. Technically this is implemented by extending the above elimination method. It cannot be guaranteed that all problems are solved, and this is a reason not to turn off singleton2Primary. Best performance is achieved when elimination is T, M or W.
- t: As T, but without the added singleton protection. This means that protected linear combinations cannot be calculated linearly from non-suppressed cells. However, other contributors may still be able to recalculate these combinations using their own suppressed values.

Value

A character vector or NULL

Examples

```
NumSingleton("numTFF")
NumSingleton("numFtT")
NumSingleton("numttH")
NumSingleton("numTTFTT")
```

quantile_weighted	<i>Weighted quantiles</i>
-------------------	---------------------------

Description

The default method (type=2) corresponds to weighted percentiles in SAS.

Usage

```
quantile_weighted(
  x,
  probs = (0:4)/4,
  weights = rep(1, length(x)),
  type = 2,
  eps = 1e-09
)
```

Arguments

<code>x</code>	Numeric vector
<code>probs</code>	Numeric vector of probabilities
<code>weights</code>	Numeric vector of weights of the same length as <code>x</code>
<code>type</code>	An integer, 2 (default) or 5. Similar to types 2 and 5 in quantile .
<code>eps</code>	Precision parameter used when <code>type=2</code> so that numerical inaccuracy is accepted (see details)

Details

When `type=2`, averaging is used in case of equal of probabilities. Equal probabilities ($p[j]==probs[i]$) is determined by $\text{abs}(1-p[j]/probs[i])<\text{eps}$ with $p=\text{cumsum}(w)/\text{sum}(w)$ where $w=weights[\text{order}(x)]$.

With zero length of `x`, NAs are returned.

When all weights are zero and when when all `x`'s are not equal, NaNs are returned except for the 0% and 100% quantiles.

Value

Quantiles as a named numeric vector.

Note

Type 2 similar to type 5 in [DescTools::Quantile](#)

Examples

```
x <- rnorm(27)/5 + 1:27
w <- (1:27)/27

quantile_weighted(x, (0:5)/5, weights = w)
quantile_weighted(x, (0:5)/5, weights = w, type = 5)

quantile_weighted(x) - quantile(x, type = 2)
quantile_weighted(x, type = 5) - quantile(x, type = 5)
```

Description

Combining several data frames when the columns don't match

Usage

`RbindAll(...)`

Arguments

... Several data frames as several input parameters or a list of data frames

Value

A single data frame

Note

The function is an extended version of rbind.all.columns at <https://amywhiteheadresearch.wordpress.com/2013/05/13/combing-dataframes-when-the-columns-dont-match/>

Author(s)

Øyvind Langsrød

See Also

[CbindIdMatch](#) (same example data)

Examples

```
zA <- data.frame(idA = 1:10, idB = rep(10 * (1:5), 2), idC = rep(c(100, 200), 5),
                   idC2 = c(100, rep(200, 9)), idC3 = rep(100, 10),
                   idD = 99, x = round(rnorm(10), 3), xA = round(runif(10), 2))
zB <- data.frame(idB = 10 * (1:5), x = round(rnorm(5), 3), xB = round(runif(5), 2))
zC <- data.frame(idC = c(100, 200), x = round(rnorm(2), 3), xC = round(runif(2), 2))
zD <- data.frame(idD = 99, x = round(rnorm(1), 3), xD = round(runif(1), 2))
RbindAll(zA, zB, zC, zD)
RbindAll(list(zA, zB, zC, zD))
```

Description

The linear equation problem, $z = t(x) \%*\% y$ with y non-negative and x as a design (dummy) matrix, is reduced to a smaller problem by identifying elements of y that can be found exactly from x and z .

Usage

```
Reduce0exact(
  x,
  z = NULL,
  reduceByColSums = FALSE,
  reduceByLeverage = FALSE,
  leverageLimit = 0.999999,
```

```

    digitsRoundWhole = 9,
    y = NULL,
    yStart = NULL,
    printInc = FALSE
)

```

Arguments

x	A matrix
z	A single column matrix
reduceByColSums	See Details
reduceByLeverage	See Details
leverageLimit	Limit to determine perfect fit
digitsRoundWhole	RoundWhole parameter for fitted values (when leverageLimit and y not in input)
y	A single column matrix. With y in input, z in input can be omitted and estimating y (when leverageLimit) is avoided.
yStart	A starting estimate when this function is combined with iterative proportional fitting. Zeros in yStart will be used to reduce the problem.
printInc	Printing iteration information to console when TRUE

Details

Exact elements can be identified in three ways in an iterative manner:

1. By zeros in z. This is always done.
2. By columns in x with a single nonzero value. Done when `reduceByColSums` or `reduceByLeverage` is TRUE.
3. By exact linear regression fit (when leverage is one). Done when `reduceByLeverage` is TRUE. The leverages are computed by `hat(as.matrix(x), intercept = FALSE)`, which can be very time and memory consuming. Furthermore, without y in input, known values will be computed by [ginv](#).

Value

A list of five elements:

- x: A reduced version of input x
- z: Corresponding reduced z
- yKnown: Logical, specifying known values of y
- y: A version of y with known values correct and others zero
- zSkipped: Logical, specifying omitted columns of x

Author(s)

Øyvind Langsrød

Examples

```

# Make a special data set
d <- SSBtoolsData("sppt_emp")
d$ths_per <- round(d$ths_per)
d <- rbind(d, d)
d$year <- as.character(rep(2014:2019, each = 6))
to0 <- rep(TRUE, 36)
to0[c(6, 14, 17, 18, 25, 27, 30, 34, 36)] <- FALSE
d$ths_per[to0] <- 0

# Values as a single column matrix
y <- Matrix(d$ths_per, ncol = 1)

# A model matrix using a special year hierarchy
x <- Hierarchies2ModelMatrix(d, hierarchies = list(geo = "", age = "", year =
  c("y1418 = 2014+2015+2016+2017+2018", "y1519 = 2015+2016+2017+2018+2019",
    "y151719 = 2015+2017+2019", "yTotal = 2014+2015+2016+2017+2018+2019")),
  inputInOutput = FALSE)

# Aggregates
z <- t(x) %*% y
sum(z == 0) # 5 zeros

# From zeros in z
a <- Reduce0exact(x, z)
sum(a$yKnown) # 17 zeros in y is known
dim(a$x) # Reduced x, without known y and z with zeros
dim(a$z) # Corresponding reduced z
sum(a$zSkipped) # 5 elements skipped
t(a$y) # Just zeros (known are 0 and unknown set to 0)

# It seems that three additional y-values can be found directly from z
sum(colSums(a$x) == 1)

# But it is the same element of y (row 18)
a$x[18, colSums(a$x) == 1]

# Make use of ones in colSums
a2 <- Reduce0exact(x, z, reduceByColSums = TRUE)
sum(a2$yKnown) # 18 values in y is known
dim(a2$x) # Reduced x
dim(a2$z) # Corresponding reduced z
a2$y[which(a2$yKnown)] # The known values of y (unknown set to 0)

# Six ones in leverage values
# Thus six extra elements in y can be found by linear estimation
hat(as.matrix(a2$x), intercept = FALSE)

```

```

# Make use of ones in leverages (hat-values)
a3 <- Reduce0exact(x, z, reduceByLeverage = TRUE)
sum(a3$yKnown)           # 26 values in y is known (more than 6 extra)
dim(a3$x)                # Reduced x
dim(a3$z)                # Corresponding reduced z
a3$y[which(a3$yKnown)]  # The known values of y (unknown set to 0)

# More than 6 extra is caused by iteration
# Extra checking of zeros in z after reduction by leverages
# Similar checking performed also after reduction by colSums

```

RoundWhole*Round values that are close two whole numbers***Description**

Round values that are close two whole numbers

Usage

```
RoundWhole(x, digits = 9, onlyZeros = FALSE)
```

Arguments

x	vector or matrix
digits	parameter to <code>round</code>
onlyZeros	Only round values close to zero

Details

When digits is NA, Inf or NULL, input is returned unmodified. When there is more than one element in digits or onlyZeros, rounding is performed column-wise.

Value

Modified x

Author(s)

Øyvind Langsrød

Examples

```
x <- c(0.0002, 1.00003, 3.00014)
RoundWhole(x)      # No values rounded
RoundWhole(x, 4)   # One value rounded
RoundWhole(x, 3)   # All values rounded
RoundWhole(x, NA) # No values rounded (always)
RoundWhole(x, 3, TRUE) # One value rounded
RoundWhole(cbind(x, x, x), digits = c(3, 4, NA))
RoundWhole(cbind(x, x), digits = 3, onlyZeros = c(FALSE, TRUE))
```

RowGroups

Create numbering according to unique rows

Description

Create numbering according to unique rows

Usage

```
RowGroups(x, returnGroups = FALSE, returnGroupsId = FALSE)
```

Arguments

- `x` Data frame or matrix
- `returnGroups` When TRUE unique rows are returned
- `returnGroupsId` When TRUE Index of unique rows are returned

Value

A vector with the numbering or, according to the arguments, a list with more output.

Author(s)

Øyvind Langsrud

Examples

```
a <- data.frame(x = c("a", "b"), y = c("A", "B", "A"), z = rep(1:4, 3))
RowGroups(a)
RowGroups(a, TRUE)
RowGroups(a[, 1:2], TRUE, TRUE)
RowGroups(a[, 1, drop = FALSE], TRUE)
```

SortRows*Sorting rows of a matrix or data frame***Description**

Sorting rows of a matrix or data frame

Usage

```
SortRows(m, cols = 1:dim(m)[2], index.return = FALSE)
```

Arguments

- | | |
|---------------------------|---|
| <code>m</code> | matrix or data frame |
| <code>cols</code> | Indexes of columns, in the desired order, used for sorting. |
| <code>index.return</code> | logical indicating if the ordering index vector should be returned instead of sorted input. |

Value

sorted `m` or a row index vector

Author(s)

Øyvind Langsrød

Examples

```
d <- SSBtoolsData("d2w")
SortRows(d[4:7])
SortRows(d, cols = 4:7)
SortRows(d, cols = c(2, 4))

SortRows(matrix(sample(1:3, 15, TRUE), 5, 3))
```

SSBtoolsData*Function that returns a dataset***Description**

Function that returns a dataset

Usage

```
SSBtoolsData(dataset)
```

Arguments

dataset	Name of data set within the SSBtools package
---------	--

Details

FIFA2018ABCD: A hierarchy table based on countries within groups A-D in the football championship, 2018 FIFA World Cup.

sprt_emp: Employment in sport in thousand persons. Data from Eurostat database.

sprt_emp_geoHier: Country hierarchy for the employment in sport data.

sprt_emp_ageHier: Age hierarchy for the employment in sport data.

sprt_emp_withEU: The data set sprt_emp extended with a EU variable.

sp_emp_withEU: As sprt_emp_withEU, but coded differently.

example1 Example data similar to sp_emp_withEU.

magnitude1: Example data for magnitude tabulation. Same countries as above.

my_km2: Fictitious grid data.

mun_accidents: Fictitious traffic accident by municipality data.

sosialFiktiv, z1, z1w, z2, z2w, z3, z3w, z3wb: See [sosialFiktiv](#).

d4, d1, d1w, d2, d2w, d3, d3w, d3wb: English translation of the datasets above.

d2s, d2ws: d2 and d2w modified to smaller/easier data.

power10to1, power10to2, ...: power10to*i* is hierarchical data with 10^i rows and $2 * i$ columns.
Tip: Try `FindDimLists(SSBtoolsData("power10to3"))`

Value

data frame

Author(s)

Øyvind Langsrød and Daniel Lupp

Examples

```
SSBtoolsData("FIFA2018ABCD")
SSBtoolsData("sprt_emp")
SSBtoolsData("sprt_emp_geoHier")
SSBtoolsData("sprt_emp_ageHier")
SSBtoolsData("sprt_emp_withEU")
SSBtoolsData("d1w")
```

Stack

Stack columns from a data frame and include variables.

Description

Stack columns from a data frame and include variables.

Usage

```
Stack(
  data,
  stackVar = 1:NCOL(data),
  blockVar = integer(0),
  rowData = data.frame(stackVar)[, integer(0), drop = FALSE],
  valueName = "values",
  indName = "ind"
)
```

Arguments

<code>data</code>	A data frame
<code>stackVar</code>	Indices of variables to be stacked
<code>blockVar</code>	Indices of variables to be replicated
<code>rowData</code>	A separate data frame where NROW(rowData)=length(stackVar) such that each row may contain multiple information of each stackVar variable. The output data frame will contain an extended variant of rowData.
<code>valueName</code>	Name of the stacked/concatenated output variable
<code>indName</code>	Name of the output variable with information of which vector in x the observation originated. When indName is NULL this variable is not included in output.

Value

A data frame where the variable ordering corresponds to: blockVar, rowData, valueName, indName

Author(s)

Øyvind Langsrød

See Also

[Unstack](#)

Examples

```

z <- data.frame(n=c(10,20,30), ssb=c('S','S','B'),
Ayes=1:3,Ano=4:6,Byes=7:9,Bno=10:12)
zRow <- data.frame(letter=c('A','A','B','B'),answer=c('yes','no','yes','no') )

x <- Stack(z,3:6,1:2,zRow)

Unstack(x,6,3:4,numeric(0),1:2)
Unstack(x,6,5,numeric(0),1:2)
Unstack(x,6,3:4,5,1:2)

```

UniqueSeq

Sequence within unique values

Description

Sequence within unique values

Usage

```
UniqueSeq(x, sortdata = matrix(1L, length(x), 0))
```

Arguments

x	vector
sortdata	matrix or vector to determine sequence order

Value

integer vector

Author(s)

Øyvind Langsrød

Examples

```

# 1:4 within A and 1:2 within B
UniqueSeq(c("A", "A", "B", "B", "A", "A"))

# Ordered differently
UniqueSeq(c("A", "A", "B", "B", "A", "A"), c(4, 5, 20, 10, 3, 0))

```

Unstack*Unstack a column from a data frame and include additional variables.***Description**

Unstack a column from a data frame and include additional variables.

Usage

```
Unstack(
  data,
  mainVar = 1,
  stackVar = (1:NCOL(data))[-mainVar],
  extraVar = integer(0),
  blockVar = integer(0),
  sep = "_",
  returnRowData = TRUE,
  sorted = FALSE
)
```

Arguments

<code>data</code>	A data frame
<code>mainVar</code>	Index of the variable to be unstacked
<code>stackVar</code>	Index of variables defining the unstack grouping
<code>extraVar</code>	Indices of within-replicated variables to be added to the rowData output
<code>blockVar</code>	Indices of between-replicated variables to be added to the data output
<code>sep</code>	A character string to separate when creating variable names
<code>returnRowData</code>	When FALSE output is no list, but only data
<code>sorted</code>	When TRUE the created variables is in sorted order. Otherwise input order is used.

Value

When `returnRowData=TRUE` output is list of two elements.

<code>data</code>	Unstacked data
<code>rowData</code>	A separate data frame with one row for each unstack grouping composed of the stackVar variables

Author(s)

Øyvind Langsrød

See Also

[Stack](#) (examples)

WildcardGlobbing	<i>Row selection by wildcard/globbing</i>
-------------------------	---

Description

The selected rows match combined requirements for all variables.

Usage

```
WildcardGlobbing(x, wg, sign = TRUE, invert = "!")
```

Arguments

x	data.frame with character data
wg	data.frame with wildcard/globbing
sign	When FALSE, the result is inverted.
invert	Character to invert each single selection.

Details

This function is used by [HierarchicalWildcardGlobbing](#) and [WildcardGlobbingVector](#) and make use of [grepl](#) and [glob2rx](#).

Value

Logical vector defining subset of rows.

Author(s)

Øyvind Langsrød

Examples

```
# Create data input
data(precip)
data(mtcars)
x <- data.frame(car = rownames(mtcars)[rep(1:NROW(mtcars), each = 35)], city = names(precip),
                 stringsAsFactors = FALSE)

# Create globbing/wildcards input
wg <- data.frame(rbind(c("Merc*", "C*"), c("F*", "??????"), c("!????????*", "!??????*")),
                  stringsAsFactors = FALSE)
names(wg) <- names(x)

# Select the following combinations:
# - Cars starting with Merc and cities starting with C
# - Cars starting with F and six-letter cities
# - Cars with less than nine letters and cities with less than seven letters
x[WildcardGlobbing(x, wg), ]
```

WildcardGlobbingVector*Selection of elements by wildcard/globbing***Description**

Selection of elements by wildcard/globbing

Usage`WildcardGlobbingVector(x, wg, negSign = "-", invert = "!")`**Arguments**

<code>x</code>	Character vector
<code>wg</code>	Character vector with wildcard/globbing
<code>negSign</code>	Character representing selection to be removed
<code>invert</code>	Character to invert each single selection.

Valuevector with selected elements of `x`**Author(s)**

Øyvind Langsrød

Examples

```

data(precip)
x <- names(precip)

# Select the cities starting with B, C and Sa.
WildcardGlobbingVector(x, c("B*", "C*", "Sa*"))

# Remove from the selection cities with o and t in position 2 and 4, respectively.
WildcardGlobbingVector(x, c("B*", "C*", "Sa*", "-?o*", "-???t*"))

# Add to the selection cities not having six or more letters.
WildcardGlobbingVector(x, c("B*", "C*", "Sa*", "-?o*", "-???t*", "!??????*"))

```

Index

AddLeadingZeros, 3
aggregate, 4, 5, 16
aggregate_multiple_fun, 4, 20–22, 68, 69
As_TsparseMatrix, 7
AutoHierarchies, 8, 15, 16, 30, 45, 46, 48, 50, 53, 56, 66
AutoSplit, 11

CbindIdMatch, 12, 75

DataDummyHierarchies
 (DataDummyHierarchy), 14
DataDummyHierarchy, 14
DimList2Hierarchy, 9, 15, 16, 50
DimList2Hrc, 9, 15, 15, 50
dummy_aggregate, 5, 6, 20, 69
DummyApply, 16
DummyDuplicated, 17
DummyHierarchies, 9, 14
DummyHierarchies (DummyHierarchy), 18
DummyHierarchy, 14, 18, 52, 53

Extend0, 23, 24
Extend0rnd1, 24, 24
Extend0rnd1b (Extend0rnd1), 24
Extend0rnd2 (Extend0rnd1), 24

FactorLevCorr, 25
FindCommonCells, 27
FindDimLists, 9, 28, 30
FindDisclosiveCells, 29
FindHierarchies, 9, 30
FindTableGroup, 31
fix_fun_amf, 5, 21
fix_vars_amf, 5, 21
Formula2Hierarchy (Hierarchy2Formula), 49
Formula2ModelMatrix, 49, 65, 66
Formula2ModelMatrix (FormulaSums), 34
formula_selection, 69

formula_selection (FormulaSelection), 32
FormulaSelection, 32
FormulaSums, 34, 62, 67

GaussIndependent, 36, 57
GaussIterationFunction, 37, 39
GaussRank (GaussIndependent), 36
GaussSuppression, 37, 38, 72
ginv, 76
glob2rx, 85
grep, 85

hclust, 43
HierarchicalGroups, 41
HierarchicalWildcardGlobbing, 42, 85
Hierarchies2Formulas
 (Hierarchy2Formula), 49
Hierarchies2ModelMatrix, 9, 44, 49, 53, 56, 65, 66
HierarchiesAndFormula2ModelMatrix, 46, 47, 65, 66
Hierarchy2Formula, 9, 15, 16, 49
HierarchyCompute, 9, 46, 51, 55
HierarchyCompute2, 52, 54
HierarchyComputeDummy, 46
HierarchyFix, 9, 45, 48, 50, 52
Hrc2DimList, 9, 48
Hrc2DimList (DimList2Hrc), 15

inc_default, 5

loglin, 62
LSfitNonNeg, 56

MakeHierFormula, 57
Match, 58
match, 58
matlabColon, 59
Matrix2list, 60
Matrix2listInt (Matrix2list), 60
Mipf, 61

model.matrix, 66
model_aggregate, 68
ModelMatrix, 32, 35, 46, 49, 62, 65, 69

NamesFromModelMatrixInput
 (ModelMatrix), 65
Number, 71
NumSingleton, 39, 40, 72

qr, 56, 57
quantile, 74
quantile_weighted, 73

RbindAll, 13, 74
Reduce0exact, 62, 75
round, 78
RoundWhole, 76, 78
RowGroups, 79

seq, 60
SeqInc (matlabColon), 59
solve, 57
SortRows, 80
sosialFiktiv, 81
sparse.model.matrix, 66
SSBtoolsData, 80
Stack, 82, 84

UniqueSeq, 83
unlist, 5, 6, 69
unmatrix, 5
Unstack, 82, 84

WildcardGlobbing, 43, 85
WildcardGlobbingVector, 85, 86