

# iemisc: Examples from GNU Octave Rem, Mod, and fractdiff Compatible Functions

Irucka Embry, E.I.T. (EcoC<sup>2</sup>S)

2023-09-24

## Contents

<b>Rem Examples (R style)</b>	<b>1</b>
<b>rem Examples (GNU Octave style)</b>	<b>2</b>
<b>Mod_octave Examples (R style)</b>	<b>4</b>
<b>mod Examples (GNU Octave style)</b>	<b>5</b>
<b>fractdiff Example (R style)</b>	<b>6</b>
<b>fractdiff Example (GNU Octave style)</b>	<b>6</b>
<b>Works Cited</b>	<b>6</b>
<b>EcoC<sup>2</sup>S Links</b>	<b>7</b>
<b>Copyright and License</b>	<b>7</b>

## Rem Examples (R style)

```
library("iemisc")

# Examples from GNU Octave

x <- 23.4
y <- 20
z <- 0

Rem(x, y)

## [1] 3.4
Rem(y, x)

## [1] 20
Rem(x, z)
```

```

## [1] NaN
Rem(y, z)

## [1] NaN
Rem(z, x)

## [1] 0
Rem(z, y)

## [1] 0
Rem(-1, 3)

## [1] -1
# Examples from FreeMat

Rem(18, 12)

## [1] 6
Rem(6, 5)

## [1] 1
Rem(2 * pi, pi)

## [1] 0
Rem(c(1, 3, 5, 2), 2)

```

$$\begin{array}{r} \overline{1 \quad 1 \quad 1 \quad 0} \\ \underline{1} \end{array}$$

```
Rem(c(9, 3, 2, 0), c(1, 0, 2, 2))
```

```
## [1] 0 NaN 0 0
```

## rem Examples (GNU Octave style)

```

% check against GNU Octave

% Examples from GNU Octave

x = 23.4

y = 20

z = 0

rem(x, y)

rem(y, x)

```

```

rem(x, z)
rem(y, z)
rem(z, x)
rem(z, y)
rem(-1, 3)

% Examples from FreeMat

rem(18, 12)
rem(6, 5)
rem(2 * pi, pi)
rem([1, 3, 5, 2], 2)
rem([9 3 2 0], [1 0 2 2])

% results

>> x = 23.4
x = 23.400
>>
>> y = 20
y = 20
>>
>> z = 0
z = 0
>>
>> rem(x, y)
ans = 3.4000
>>
>> rem(y, x)
ans = 20
>>
>> rem(x, z)
ans = NaN
>>
>> rem(y, z)
ans = NaN
>>
>> rem(z, x)
ans = 0
>>
>> rem(z, y)
ans = 0

```

```

>>
>> rem(-1, 3)
ans = -1
>>
>>
>> % Examples from FreeMat
>>
>> rem(18, 12)
ans = 6
>>
>> rem(6, 5)
ans = 1
>>
>> rem(2 * pi, pi)
ans = 0
>>
>> rem([1, 3, 5, 2], 2)
ans =
    1     1     1     0

>>
>> rem([9 3 2 0], [1 0 2 2])
ans =
    0     NaN      0      0

>>

```

## Mod\_octave Examples (R style)

```

library("iemisc")

# Examples from FreeMat

Mod_octave(6, 5)

## [1] 1
Mod_octave(2 * pi, pi)

## [1] 0
Mod_octave(c(1, 3, 5, 2), 2)


$$\overline{1 \quad 1 \quad 1 \quad 0}$$


Mod_octave(c(9, 3, 2, 0), c(1, 0, 2, 2))

## [1] 0 3 0 0

```

```
Mod_octave(-1, 3)
```

```
## [1] 2
```

## mod Examples (GNU Octave style)

```
% check against GNU Octave
```

```
% Examples from FreeMat
```

```
mod(18, 12)
```

```
mod(6, 5)
```

```
mod(2*pi, pi)
```

```
mod([1, 3, 5, 2], 2)
```

```
mod([9 3 2 0], [1 0 2 2])
```

```
mod(-1, 3)
```

```
% results
```

```
>> mod(18, 12)
```

```
ans = 6
```

```
>>
```

```
>> mod(6, 5)
```

```
ans = 1
```

```
>>
```

```
>> mod(2*pi, pi)
```

```
ans = 0
```

```
>>
```

```
>> mod([1, 3, 5, 2], 2)
```

```
ans =
```

```
1 1 1 0
```

```
>>
```

```
>> mod([9 3 2 0], [1 0 2 2])
```

```
ans =
```

```
0 3 0 0
```

```
>>
```

```
>> mod(-1, 3)
```

```
ans = 2
```

```
>>
```

## fractdiff Example (R style)

```
library("iemisc")
import::from(ramify, mat)

# values from https://github.com/simaki/fracdiff

a <- mat("1, 2, 4, 7, 0")

fractdiff(x = a, d = 0.5)

## [1] 1.000000 1.500000 2.875000 4.687500 -4.164062
```

## fractdiff Example (GNU Octave style)

```
% check against GNU Octave

a = [1, 2, 4, 7, 0]

fractdiff(a, d = 0.5)

% results

>> a = [1, 2, 4, 7, 0]
a =
    1   2   4   7   0

>>
>> fractdiff(a, d = 0.5)
ans =
    1.0000   1.5000   2.8750   4.6875  -4.1641

>>
```

## Works Cited

John W. Eaton, David Bateman, Søren Hauberg, and Rik Wehbring (November 2022). *GNU Octave: A high-level interactive language for numerical computations*: Edition 7 for Octave version 7.3.0. <https://docs.octave.org/octave.pdf>. Pages 564, 853.

## EcoC<sup>2</sup>S Links

EcoC<sup>2</sup>S Home – <https://www.ecoccs.com/>

About EcoC<sup>2</sup>S – [https://www.ecoccs.com/about\\_ecoc2s.html](https://www.ecoccs.com/about_ecoc2s.html)

Services – <https://www.ecoccs.com/services.html>

1 Stop Shop – [https://www.ecoccs.com/other\\_biz.html](https://www.ecoccs.com/other_biz.html)

Products – <https://www.questionuniverse.com/products.html>

Media – <https://www.ecoccs.com/media.html>

Resources – <https://www.ecoccs.com/resources.html>

R Trainings and Resources provided by EcoC<sup>2</sup>S (Irucka Embry, E.I.T.) – <https://www.ecoccs.com/rtraining.html>

## Copyright and License

All R code written by Irucka Embry is distributed under the GPL-3 (or later) license, see the [GNU General Public License {GPL}](#) page.

All written content originally created by Irucka Embry is copyrighted under the Creative Commons Attribution-ShareAlike 4.0 International License. All other written content retains the copyright of the original author(s).

This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).